

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

## 1 Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: **Slime Quick Spair**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **Application of the substance / the preparation** Sealant

· **1.3 Details of the supplier of the Safety Data Sheet**

· **Manufacturer/Supplier:**

(North America)

Accessories Marketing, Inc.

125 Venture Drive, Suite 210, San Luis Obispo, CA 93401

Tel (805) 489-0490

(Europe)

Freightways c/o Access Marketing Europe

Mandenmakerstraat 6, 2222 AX Katwijk Nederlands

Tel +31 71 408 0838

E-Mail: brett@slime.com



Only representative of a non-Community manufacturer

H2 Compliance

Rubicon Building, CIT Campus, Bishopstown, Cork, Ireland

Tel +353 21 486 8122

E-Mail info@h2compliance.com

· **1.4 Emergency telephone number:**

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

## 2 Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS04 gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS


Printing date 08.02.2013

Revision: 08.02.2013


Trade name: **Slime Quick Spair**

(Contd. of page 1)

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**

 Xn; Harmful

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

 Xi; Irritant

R36/38: Irritating to eyes and skin.

- **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS04 GHS07

- **Signal word** Warning

- **Hazard-determining components of labelling:**

2-butoxyethanol  
ethanediol  
ammonia, anhydrous

- **Hazard statements**

H280 Contains gas under pressure; may explode if heated.  
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

- **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P321 Specific treatment (see on this label).  
P322 Specific measures (see on this label).

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

**Trade name: Slime Quick Spair**

(Contd. of page 2)

P362 Take off contaminated clothing and wash before reuse.  
 P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
 P363 Wash contaminated clothing before reuse.  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P330 Rinse mouth.  
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
 P410+P403 Protect from sunlight. Store in a well-ventilated place.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Additional information:** N/A
- **Hazard description:**
- **WHMIS-symbols:**  
 A - Compressed gas  
 D2B - Toxic material causing other toxic effects



- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **HMIS Long Term Health Hazard Substances**

None of the ingredients is listed.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS














Printing date 08.02.2013

Revision: 08.02.2013

Trade name: **Slime Quick Spair**

(Contd. of page 3)

**· Dangerous components:**

CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0	2-butoxyethanol  Xn R20/21/22;  Xi R36/38  Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	10-30%
CAS: 811-97-2 EINECS: 212-377-0	Norflurane  Press. Gas, H280	10-30%
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1	ethanediol  Xn R22  Acute Tox. 4, H302	1-5%
CAS: 7664-41-7 EINECS: 231-635-3 Index number: 007-001-00-5	ammonia, anhydrous  T R23;  C R34;  N R50 R10  Flam. Liq. 3, H226  Acute Tox. 3, H331  Skin Corr. 1B, H314  Aquatic Acute 1, H400 Flam. Gas 2, H221; Press. Gas, H280	<0,2%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

## 4 First aid measures

### · 4.1 Description of first aid measures

#### · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Clean with water and soap.

If skin irritation continues, consult a doctor.

#### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### · After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Call for a doctor immediately.

### · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

**Trade name: Slime Quick Spair**

(Contd. of page 4)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
Danger of receptacles bursting because of high vapour pressure when heated.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information** Cool endangered receptacles with water spray.

## 6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Ensure adequate ventilation
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**  
Do not spray onto a naked flame or any incandescent material.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Provide ventilation for receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.  
Keep container tightly sealed.

(Contd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

Trade name: **Slime Quick Spair**

(Contd. of page 5)

· **7.3 Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.· **8.1 Control parameters**· **Ingredients with limit values that require monitoring at the workplace:**

### 111-76-2 2-butoxyethanol

IOELV (EU)	Short-term value: 246 mg/m <sup>3</sup> , 50 ppm Long-term value: 98 mg/m <sup>3</sup> , 20 ppm Skin
PEL (USA)	240 mg/m <sup>3</sup> , 50 ppm Skin
REL (USA)	24 mg/m <sup>3</sup> , 5 ppm Skin
TLV (USA)	97 mg/m <sup>3</sup> , 20 ppm BEI
EL (Canada)	20 ppm
EV (Canada)	20 ppm Skin

### 811-97-2 Norflurane

WEEL (USA)	1000 ppm
------------	----------

### 107-21-1 ethanediol

IOELV (EU)	Short-term value: 104 mg/m <sup>3</sup> , 40 ppm Long-term value: 52 mg/m <sup>3</sup> , 20 ppm Skin
TLV (USA)	Short-term value: C 100 mg/m <sup>3</sup> H
EL (Canada)	Short-term value: C 100* 20** mg/m <sup>3</sup> , C 50*** ppm Long-term value: 10** mg/m <sup>3</sup> *Aerosol; **Particulate; ***Vapour

### 7664-41-7 ammonia, anhydrous

IOELV (EU)	Short-term value: 36 mg/m <sup>3</sup> , 50 ppm Long-term value: 14 mg/m <sup>3</sup> , 20 ppm
PEL (USA)	35 mg/m <sup>3</sup> , 50 ppm
REL (USA)	Short-term value: 27 mg/m <sup>3</sup> , 35 ppm Long-term value: 18 mg/m <sup>3</sup> , 25 ppm
TLV (USA)	Short-term value: 24 mg/m <sup>3</sup> , 35 ppm Long-term value: 17 mg/m <sup>3</sup> , 25 ppm
EL (Canada)	Short-term value: 35 ppm Long-term value: 25 ppm

(Contd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

Trade name: **Slime Quick Spair**

(Contd. of page 6)

EV (Canada)	Short-term value: 24 mg/m <sup>3</sup> , 35 ppm Long-term value: 17 mg/m <sup>3</sup> , 25 ppm
-------------	---

· **Ingredients with biological limit values:**

**111-76-2 2-butoxyethanol**

BEI (USA)	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid with hydrolysis
-----------	--

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.

· **Respiratory protection:**

Not required under normal conditions of use.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

Neoprene gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Contact lenses should not be worn.



Safety glasses

(Contd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

Trade name: Slime Quick Spair

(Contd. of page 7)

- **Limitation and supervision of exposure into the environment**  
No further relevant information available.
- **Risk management measures**  
See Section 7 for additional information.  
No further relevant information available.

## 9 Physical and chemical properties

### · 9.1 Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

· <b>Form:</b>	Viscous
· <b>Colour:</b>	Green
· <b>Odour:</b>	Ammonia-like
· <b>Odour threshold:</b>	Not determined.

· <b>pH-value at 20 °C:</b>	11
-----------------------------	----

#### · Change in condition

· <b>Melting point/Melting range:</b>	0 °C (32 °F)
· <b>Boiling point/Boiling range:</b>	100 °C (212 °F)

· <b>Flash point:</b>	93 °C (200 °F)
-----------------------	----------------

· <b>Flammability (solid, gaseous):</b>	Not determined.
---	-----------------

· <b>Ignition temperature:</b>	Not determined.
--------------------------------	-----------------

· <b>Decomposition temperature:</b>	Not determined.
-------------------------------------	-----------------

· <b>Self-igniting:</b>	Product is not self-igniting.
-------------------------	-------------------------------

· <b>Danger of explosion:</b>	Not determined.
-------------------------------	-----------------

#### · Explosion limits:

· <b>Lower:</b>	1,1 Vol %
· <b>Upper:</b>	10,6 Vol %

· <b>Vapour pressure at 20 °C:</b>	17 mm Hg
------------------------------------	----------

· <b>Density at 20 °C:</b>	1,1 g/cm <sup>3</sup>
----------------------------	-----------------------

· <b>Relative density</b>	Not determined.
---------------------------	-----------------

· <b>Vapour density</b>	Not determined.
-------------------------	-----------------

· <b>Evaporation rate</b>	Not applicable.
---------------------------	-----------------

#### · Solubility in / Miscibility with water:

Not miscible or difficult to mix.

· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
---	-----------------

#### · Viscosity:

· <b>Dynamic:</b>	Not determined.
-------------------	-----------------

(Contd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

Trade name: Slime Quick Spair

(Contd. of page 8)

<b>Kinematic:</b>	Not determined.
-------------------	-----------------

<b>Solvent content:</b>	
-------------------------	--

<b>Organic solvents:</b>	30,0 %
--------------------------	--------

<b>9.2 Other information</b>	No further relevant information available.
------------------------------	--

## 10 Stability and reactivity

- **10.1 Reactivity**

- **10.2 Chemical stability**

- **Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

- **10.3 Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.

- **10.4 Conditions to avoid** Keep away from heat and direct sunlight.

- **10.5 Incompatible materials:** No further relevant information available.

- **10.6 Hazardous decomposition products:**

Carbon monoxide and carbon dioxide

Nitrogen oxides

Sulphur oxides (SO<sub>x</sub>)

## 11 Toxicological information

- **11.1 Information on toxicological effects**

- **Acute toxicity:**

<b>LD/LC50 values relevant for classification:</b>	
--	--

<b>111-76-2 2-butoxyethanol</b>		
---------------------------------	--	--

Oral	LD50	1480 mg/kg (rat)
------	------	------------------

Dermal	LD50	400 mg/kg (rab)
--------	------	-----------------

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

- **Acute effects (acute toxicity, irritation and corrosivity):** Danger through skin adsorption.

## 12 Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

Trade name: Slime Quick Spair



(Contd. of page 9)

- **12.2 Persistence and degradability** Moderately /partly biodegradable
- **12.3 Bioaccumulative potential** May be accumulated in organism
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· DOT, ADR, IMDG, IATA</li> </ul>                         | <p>UN1950</p>   |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· DOT, IMDG, IATA</li> <li>· ADR</li> </ul> | <p>AEROSOLS<br/>1950 AEROSOLS</p>   |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· DOT</li> </ul>                         | <div style="display: flex; align-items: center;">  <div style="border-left: 1px solid black; padding-left: 5px;"> <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul> </div> </div> <p style="margin-left: 100px;">2.2<br/>2.2</p> |
| <ul style="list-style-type: none"> <li>· <b>ADR, IMDG, IATA</b></li> </ul>  | <div style="display: flex; align-items: center;">  <div style="border-left: 1px solid black; padding-left: 5px;"> <ul style="list-style-type: none"> <li>· <b>Class</b></li> </ul> </div> </div> <p style="margin-left: 100px;">2.2</p>                                 |

(Contd. on page 11)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

Trade name: Slime Quick Spair

(Contd. of page 10)

· Label	2.2
· 14.4 Packing group	
· DOT, ADR, IMDG, IATA	N/A
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· EMS Number:	F-D,S-U
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN1950, AEROSOLS, 2.2

## 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

### · Section 355 (extremely hazardous substances):

7664-41-7	ammonia, anhydrous
-----------	--------------------

### · Section 313 (Specific toxic chemical listings):

107-21-1	ethanediol
----------	------------

7664-41-7	ammonia, anhydrous
-----------	--------------------

### · TSCA (Toxic Substances Control Act):

111-76-2	2-butoxyethanol
----------	-----------------

811-97-2	Norflurane
----------	------------

107-21-1	ethanediol
----------	------------

7664-41-7	ammonia, anhydrous
-----------	--------------------

### · Proposition 65 (California):

#### · Chemicals known to cause cancer:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic Categories

#### · EPA (Environmental Protection Agency)

111-76-2	2-butoxyethanol
----------	-----------------

CBD

(Contd. on page 12)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

Trade name: Slime Quick Spair

(Contd. of page 11)

· <b>IARC (International Agency for Research on Cancer)</b>		
111-76-2	2-butoxyethanol	3

· <b>TLV (Threshold Limit Value established by ACGIH)</b>		
111-76-2	2-butoxyethanol	A3
107-21-1	ethanediol	A4

· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
None of the ingredients is listed.		

· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>		
None of the ingredients is listed.		

· <b>Canada</b>		
· <b>Canadian Domestic Substances List (DSL)</b>		
All ingredients are listed.		
· <b>Canadian Ingredient Disclosure list (limit 0.1%)</b>		
None of the ingredients is listed.		
· <b>Canadian Ingredient Disclosure list (limit 1%)</b>		
111-76-2	2-butoxyethanol	
107-21-1	ethanediol	

· <b>15.2 Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.		
--	--	--

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· <b>Relevant phrases</b>	
H221	Flammable gas.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
.....	
R10	Flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R23	Toxic by inhalation.
R34	Causes burns.
R36/38	Irritating to eyes and skin.
R50	Very toxic to aquatic organisms.

(Contd. on page 13)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 08.02.2013

Revision: 08.02.2013

**Trade name: Slime Quick Spair**

(Contd. of page 12)

**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

**· Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)