		Page: 1
<b>SAFETY DATA SHEET</b>		Revision Date: 05/30/2019
		Print Date: 11/24/2020
		SDS Number: 000000149117
Valvoline™ Full Synthetic CVT Transmission Fluid ™ Trademark, Valvoline or its subsidiaries, registered in various countries 876133		Version: 1.6

29 CFR 1910.1200 (OSHA HazCom 2012)

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier**

Trade name : Valvoline™ Full Synthetic CVT Transmission Fluid  
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries


<p><b>Details of the supplier of the safety data sheet</b>          Valvoline LLC          100 Valvoline Way          Lexington, KY 40509          United States of America (USA)          1-800-TEAMVAL (1-800-832-6825)</p> <p>SDS@valvoline.com</p>	<p><b>Emergency telephone number</b>          1-800-VALVOLINE (1-800-825-8654)</p> <p><b>Regulatory Information Number</b>          1-800-TEAMVAL (1-800-832-6825)</p> <p><b>Product Information</b>          1-800-TEAMVAL (1-800-832-6825)</p>
--	--

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Skin sensitization : Category 1

**GHS label elements**

Hazard pictograms : 

Signal Word : Warning

Hazard Statements : May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**  
 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Wear protective gloves.  
**Response:**  
 IF ON SKIN: Wash with plenty of soap and water.  
 If skin irritation or rash occurs: Get medical advice/ attention.

**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Valvoline™ Full Synthetic CVT Transmission Fluid  
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries  
 876133

Version: 1.6

Wash contaminated clothing before reuse.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Classification	Concentration (%)
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	Asp. Tox. 1; H304	>=30.00 - < 40.00
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	Not a hazardous substance or mixture.	>=5.00 - < 10.00
Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.	866259-61-2	Skin Sens. 1B; H317	>=1.00 - < 1.50

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
 Show this safety data sheet to the doctor in attendance.  
 Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.  
 If unconscious, place in recovery position and seek medical advice.  
 If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
 If on skin, rinse well with water.  
 First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.  
 Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.  
 Remove contact lenses.  
 Protect unharmed eye.  
 If eye irritation persists, consult a specialist.



**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Version: 1.6

Valvoline™ Full Synthetic CVT Transmission Fluid  
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries  
 876133

- If swallowed : Do not give milk or alcoholic beverages.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
 No symptoms known or expected.
- Notes to physician : No hazards which require special first aid measures.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Water spray  
 Foam  
 Carbon dioxide (CO2)  
 Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide  
 Hydrocarbons  
 Nitrogen oxides (NOx)
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Valvoline™ Full Synthetic CVT Transmission Fluid  
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries  
 876133

Version: 1.6

- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Do not breathe vapours/dust.  
Do not smoke.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Container hazardous when empty.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
HYDROTREATED LIGHT PARAFFINIC DISTILLATE	64742-55-8	TWA	5 mg/m3 Mist	OSHA Z-1
		TWA	5 mg/m3 Inhalable fraction	ACGIH
		TWA	5 mg/m3	OSHA P0

**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Valvoline™ Full Synthetic CVT Transmission Fluid  
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries  
 876133

Version: 1.6

			Mist	
		TWA	5 mg/m3 Mist	NIOSH REL
		ST	10 mg/m3 Mist	NIOSH REL
		PEL	5 mg/m3 particulate	CAL PEL
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC	64742-54-7	TWA	5 mg/m3 Mist	OSHA Z-1
		TWA	5 mg/m3 Inhalable fraction	ACGIH
		TWA	5 mg/m3 Mist	OSHA P0
		TWA	5 mg/m3 Mist	NIOSH REL
		ST	10 mg/m3 Mist	NIOSH REL
		PEL	5 mg/m3 particulate	CAL PEL

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear as appropriate:  
 Impervious clothing  
 Safety shoes  
 Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear. Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Version: 1.6

Valvoline™ Full Synthetic CVT Transmission Fluid  
™ Trademark, Valvoline or its subsidiaries, registered in various  
countries  
876133

Colour	:	clear
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	Not applicable
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 219.99 °F / > 104.44 °C Calculated Flash Point
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.844 g/cm <sup>3</sup> (77 °F / 25 °C)
Solubility(ies)		
Water solubility	:	immiscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available



**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Version: 1.6

Valvoline™ Full Synthetic CVT Transmission Fluid  
™ Trademark, Valvoline or its subsidiaries, registered in various countries  
876133

Viscosity, kinematic : 33.9 mm<sup>2</sup>/s (104 °F / 40 °C)

Oxidizing properties : No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat  
heat

Incompatible materials : Alkali metals  
aluminum  
Ammonia  
Combustible material  
halogens  
Lead  
Metals  
metal oxides  
Oxidizing agents  
peroxides  
reducing agents  
sodium  
Strong acids  
strong bases  
water  
Zinc  
Peroxides

Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

- Inhalation
- Skin contact
- Eye Contact
- Ingestion

**Acute toxicity**

Not classified based on available information.

**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Version: 1.6

Valvoline™ Full Synthetic CVT Transmission Fluid  
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries  
 876133

**Components:**

**HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

- Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
- Acute inhalation toxicity : LC50 (Rat): > 5.58 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Assessment: Not classified as acutely toxic by inhalation under GHS.  
 Remarks: No mortality observed at this dose.
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
 Remarks: No mortality observed at this dose.

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

- Acute oral toxicity : LD50 (Rat): > 15 g/kg
- Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

**Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.:**

- Acute oral toxicity : LD50 (Rat): > 2,500 mg/kg  
 Assessment: Not classified as acutely toxic by ingestion under GHS.  
 Remarks: No mortality observed at this dose.
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
 Assessment: Not classified as acutely toxic by dermal absorption under GHS.  
 Remarks: No mortality observed at this dose.

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

- Remarks : May cause skin irritation in susceptible persons.

**Components:**

**HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

- Species : Rabbit
- Result : No skin irritation

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

- Assessment : Slight, transient irritation
- Result : Slight, transient irritation

**Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.:**

- Species : Rabbit
- Result : Mild skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Valvoline™ Full Synthetic CVT Transmission Fluid  
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries  
 876133

Version: 1.6

**Product:**

Remarks : Unlikely to cause eye irritation or injury.

**Components:**

**HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Species : Rabbit  
 Result : No eye irritation

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Result : No eye irritation  
 Assessment : No eye irritation

**Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.:**

Species : Rabbit  
 Result : Slight, transient irritation

**Respiratory or skin sensitisation**

**Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Product:**

Remarks : May cause allergic skin reaction.

**Components:**

**HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

Test Type : Buehler Test  
 Species : Guinea pig  
 Assessment : Does not cause skin sensitisation.

**Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.:**

Test Type : Local lymph node assay (LLNA)  
 Assessment : The product is a skin sensitiser, sub-category 1B.  
 Method : OECD Test Guideline 429

**Germ cell mutagenicity**

Not classified based on available information.

**Components:**

**Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.:**

Genotoxicity in vitro : Test Type: Ames test  
 Test system: Salmonella typhimurium  
 Metabolic activation: with and without metabolic activation  
 Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:**

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

Carcinogenicity - : Classified based on DMSO extract content < 3% (Regulation  
 Assessment (EC) 1272/2008, Annex VI, Part 3, Note L)

**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Version: 1.6

Valvoline™ Full Synthetic CVT Transmission Fluid  
™ Trademark, Valvoline or its subsidiaries, registered in various  
countries  
876133

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Product:**

No aspiration toxicity classification

**Components:****HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**

May be fatal if swallowed and enters airways.

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:**

No aspiration toxicity classification

**Further information****Product:**

Remarks : No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Ecotoxicology Assessment

Short-term (acute) aquatic hazard : Acute aquatic toxicity Category 3; Harmful to aquatic life.

Long-term (chronic) aquatic hazard : Not classified based on available information.

**Components:****HYDROTREATED LIGHT PARAFFINIC DISTILLATE:**Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test

**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Valvoline™ Full Synthetic CVT Transmission Fluid  
 ™ Trademark, Valvoline or its subsidiaries, registered in various  
 countries  
 876133

Version: 1.6

Test substance: WAF  
 Method: OECD Test Guideline 203  
 Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 10,000 mg/l  
 Exposure time: 48 h  
 Test Type: static test  
 Test substance: WAF  
 Method: OECD Test Guideline 202

Toxicity to algae : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
 End point: Growth inhibition  
 Exposure time: 72 h  
 Test Type: static test  
 Test substance: WAF  
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOELR (Oncorhynchus mykiss (rainbow trout)): Calculated >= 1,000 mg/l  
 Exposure time: 14 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEL (Daphnia (water flea)): 10 mg/l  
 Exposure time: 21 d  
 Test substance: WAF  
 Method: OECD Test Guideline 211

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:  
 Toxicity to fish : LL50 (Fish): > 100 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EL50 (Aquatic invertebrates): > 10,000 mg/l  
 Exposure time: 48 h

Toxicity to algae : EL50 (Algae, algal mat (Algae)): > 100 mg/l  
 Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 10 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Aquatic invertebrates): 10 mg/l

Ecotoxicology Assessment  
 Short-term (acute) aquatic hazard : Not classified based on available information.

Long-term (chronic) aquatic hazard : Not classified based on available information.

**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Valvoline™ Full Synthetic CVT Transmission Fluid  
 ™ Trademark, Valvoline or its subsidiaries, registered in various  
 countries  
 876133

Version: 1.6

Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 610 mg/l  
 Exposure time: 96 h  
 Test Type: semi-static test  
 Test substance: WAF

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 77 mg/l  
 aquatic invertebrates  
 Exposure time: 48 h  
 Test Type: static test

Toxicity to algae : EL50 (Desmodesmus subspicatus (green algae)): > 160 mg/l  
 End point: Growth inhibition  
 Exposure time: 72 h  
 Test Type: static test  
 Test substance: WAF

**Persistence and degradability****Components:**

HYDROTREATED LIGHT PARAFFINIC DISTILLATE:

Biodegradability : Result: Not readily biodegradable.  
 Biodegradation: 2 - 4 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301B

Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs.:

Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 67 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301B

No data available

**Bioaccumulative potential****Components:**

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY PARAFFINIC:

Partition coefficient: n- : log Pow: Expected > 7  
 octanol/water

No data available

**Mobility in soil****Components:**

No data available


**Other adverse effects**

No data available

**Product:**

Additional ecological : An environmental hazard cannot be excluded in the event of  
 information unprofessional handling or disposal., Harmful to aquatic life.

**Components:**

		Page: 13
<b>SAFETY DATA SHEET</b>		Revision Date: 05/30/2019
		Print Date: 11/24/2020
		SDS Number: 000000149117
Valvoline™ Full Synthetic CVT Transmission Fluid ™ Trademark, Valvoline or its subsidiaries, registered in various countries 876133		Version: 1.6

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

General advice : Dispose of in accordance with all applicable local, state and federal regulations.

The product should not be allowed to enter drains, water courses or the soil.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

Not regulated as a dangerous good

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

---

## SECTION 15. REGULATORY INFORMATION

**EPCRA - Emergency Planning and Community Right-to-Know Act**

**CERCLA Reportable Quantity**

**SAFETY DATA SHEET**

Revision Date: 05/30/2019

Print Date: 11/24/2020

SDS Number: 000000149117

Version: 1.6

Valvoline™ Full Synthetic CVT Transmission Fluid  
™ Trademark, Valvoline or its subsidiaries, registered in various  
countries  
876133

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
METHANOL	67-56-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
SULFUR DIOXIDE	7446-09-5	500	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 311/312 Hazards** : Respiratory or skin sensitisation**California Prop. 65**

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for carcinogenicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

This product contains a chemical that is at or below California Propositions 65's "safe harbor level" for reproductive/developmental toxicity as determined via a risk assessment. Therefore, the chemical is not required to be listed as a Prop 65 chemical on the SDS or label.

**The components of this product are reported in the following inventories:**

- DSL : All components of this product are on the Canadian DSL
- AICS : On the inventory, or in compliance with the inventory
- ENCS : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory
- TCSI : On the inventory, or in compliance with the inventory
- TSCA : On TSCA Inventory

**TSCA list**

No substances are subject to TSCA 12(b) export notification requirements.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**SECTION 16. OTHER INFORMATION****Further information**

**SAFETY DATA SHEET**

Revision Date: 05/30/2019


Print Date: 11/24/2020

SDS Number: 000000149117

Valvoline™ Full Synthetic CVT Transmission Fluid  
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries  
 876133

Version: 1.6

Revision Date: 05/30/2019

NFPA:	HMIS III:						
 <p>Flammability</p> <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tr> <td data-bbox="849 683 1216 750"><b>HEALTH</b></td> <td data-bbox="1216 683 1329 750"><b>2</b></td> </tr> <tr> <td data-bbox="849 750 1216 817"><b>FLAMMABILITY</b></td> <td data-bbox="1216 750 1329 817"><b>1</b></td> </tr> <tr> <td data-bbox="849 817 1216 884"><b>PHYSICAL HAZARD</b></td> <td data-bbox="1216 817 1329 884"><b>0</b></td> </tr> </table> <p>0 = not significant, 1 =Slight,                  2 = Moderate, 3 = High                  4 = Extreme, * = Chronic</p>	<b>HEALTH</b>	<b>2</b>	<b>FLAMMABILITY</b>	<b>1</b>	<b>PHYSICAL HAZARD</b>	<b>0</b>
<b>HEALTH</b>	<b>2</b>						
<b>FLAMMABILITY</b>	<b>1</b>						
<b>PHYSICAL HAZARD</b>	<b>0</b>						

**NFPA Flammable and Combustible Liquids Classification**  
 Combustible Liquid Class IIIB

**Full text of H-Statements**


- H304 May be fatal if swallowed and enters airways.
- H317 May cause an allergic skin reaction.

Sources of key data used to compile the Safety Data Sheet  
 Valvoline internal data including own and sponsored test reports  
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (1-800-VALVOLINE).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

- ACGIH : American Conference of Industrial Hygienists
- BEI : Biological Exposure Index
- CAS : Chemical Abstracts Service (Division of the American Chemical Society).
- CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
- FG : Food grade
- GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
- H-statement : Hazard Statement

	Page: 16
<b>SAFETY DATA SHEET</b>	Revision Date: 05/30/2019
	Print Date: 11/24/2020
	SDS Number: 000000149117
Valvoline™ Full Synthetic CVT Transmission Fluid ™ Trademark, Valvoline or its subsidiaries, registered in various countries 876133	Version: 1.6

IATA : International Air Transport Association.  
IATA-DGR : Dangerous Goods Regulation by the “International Air Transport Association” (IATA).

ICAO : International Civil Aviation Organization  
ICAO-TI (ICAO) : Technical Instructions by the “International Civil Aviation Organization”  
IMDG : International Maritime Code for Dangerous Goods  
ISO : International Organization for Standardization  
logPow : octanol-water partition coefficient  
LCxx : Lethal Concentration, for xx percent of test population  
LDxx : Lethal Dose, for xx percent of test population.  
ICxx : Inhibitory Concentration for xx of a substance  
Ecxx : Effective Concentration of xx  
N.O.S.: Not Otherwise Specified  
OECD : Organization for Economic Co-operation and Development  
OEL : Occupational Exposure Limit  
P-Statement : Precautionary Statement  
PBT : Persistent , Bioaccumulative and Toxic  
PPE : Personal Protective Equipment  
STEL : Short-term exposure limit  
STOT : Specific Target Organ Toxicity  
TLV : Threshold Limit Value  
TWA : Time-weighted average  
vPvB : Very Persistent and Very Bioaccumulative  
WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act  
DOT : Department of Transportation  
FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act  
HMIRC : Hazardous Materials Information Review Commission  
HMIS : Hazardous Materials Identification System  
NFPA : National Fire Protection Association  
NIOSH : National Institute for Occupational Safety and Health  
OSHA : Occupational Safety and Health Administration  
PMRA : Health Canada Pest Management Regulatory Agency  
RTK : Right to Know  
WHMIS : Workplace Hazardous Materials Information System