



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

Product Name: PRO-STRENGTH BLACK STREAK REMOVER

**Supplier: Camco Manufacturing, Inc.
121 Landmark Drive
Greensboro, NC 27409
1-800-334-2004**

Product Use: Cleaner / Cleaning Agent
Product Code: 41008 (32 fl oz)

In case of Emergency: 1-800-535-5053

2 – HAZARDS IDENTIFICATION:

Classification: Acute Toxicity, Dermal: Category 4
Acute Toxicity, Oral: Category 4
Eye Damage / Irritation Category 2B
Skin Corrosion / Irritation..... Category 2

Hazard Pictogram(s):



Signal Word: WARNING

Hazard Phrases: H302Harmful if swallowed.
H312.....Harmful in contact with skin.
H315.....Causes skin irritation.
H320.....Causes eye irritation.

Precaution Phrases: P260Do not breathe dust / fumes / gas / mist / vapors/ spray.
P262Avoid getting on clothing, in eye, or on skin.
P264Wash hands thoroughly after handling.
P270Do not eat, drink or smoke when using this product.
P280Wear protective gloves / protective clothing / eye protection / face protection.

Response Phrases: P312Call a POISON CENTER or doctor / physician if you feel unwell.
P321Specific treatment: see Section 4 First Aid, on this SDS.
P322Specific measures: see Section 4 First Aid, on this SDS.
P330Rinse Mouth
P362Take off contaminated clothing.
P363Wash contaminated clothing before reuse.
P301+P312If SWALLOWED: call a POISON CENTER or doctor / physician if you feel unwell.
P302+P352If ON SKIN: wash with plenty of water
P332+P313If SKIN irritation occurs: seek medical advice / attention.
P337+P313If EYE irritation persists: seek medical advice / attention.



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

P305+351+338:IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.

Storage and Disposal Phrases: P501Dispose of contents / container according to local, state regional, national, territorial, provincial, federal and international regulations.

Potential Health Effects:

Product may cause irritation to eyes, skin, nose, throat, and lungs.

EYES:

Contact with the eyes may cause irritation. Symptoms may include discomfort, pain or redness.

SKIN:

Contact with skin may cause irritation; symptoms may include reddening and discomfort.

INGESTION:

Can be harmful if ingested. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

INHALATION:

This product may be irritating to the respiratory system. Inhalation of mist/spray may cause sneezing, coughing and difficulty breathing.

3 - COMPOSITION, INFORMATION ON INGREDIENTS:

<u>NAME</u>	<u>CAS NUMBER</u>	<u>% WEIGHT</u>	<u>CLASSIFICATION</u>
2-Butoxyethanol	111-76-2	5 – 10 *	H302, 4, Maybe harmful if swallowed. H315, 2, Skin Irritation H319, 2, Serious Eye Irritation H335, 3, May cause Respiratory Irritation
Sodium Alkylbenzene Sulfonate	68081-81-2	2 – 6 *	H302, 4, Maybe harmful if swallowed. H315, 2, Skin Irritation H319, 2, Serious Eye Irritation
DEA Tallate	61790-66-7	1 – 5 *	H302, 4, Maybe harmful if swallowed. H315, 2, Skin Irritation H319, 2, Serious Eye Irritation
Cocoamida Diethanolamine	68603-42-9	1 – 5 *	H302, 4, Maybe harmful if swallowed. H315, 2, Skin Irritation H319, 2, Serious Eye Irritation
Diethanolamine	111-42-2	< 2.0 *	H302, 4, Maybe harmful if swallowed. H315, 2, Skin Irritation H318, 1, Serious Eye Damage H290, 1, Maybe corrosive to metals.
Sodium Hydroxide	1310-73-2	< 0.3 *	H314, 1, Skin Corrosion H318, 1, Serious Eye Damage H402, 3, Harmful to Aquatic Life

Fragrance usage level conforms to IFRA 48th Amendment for the maximum concentrations.

* Percent composition will vary by Product, from batch to batch or exact details are proprietary information.

4 – FIRST AID MEASURES:

General:

Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Never attempt to give anything orally (by mouth) to a person that is unconscious. If you or another person feels unwell, seek medical advice. Show label to the medical personnel if possible.



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

- Eye Contact:** Do not rub eyes. Rinse eyes carefully for at least 15 minutes with low-pressure water. If contact lenses are present, remove if easy to do so. Continue rinsing. Seek medical attention if irritation develops and persists.
- Skin Contact:** Remove contaminated clothing. Rinse affected area with water for at least 5 minutes. Seek medical attention if irritation develops or persists.
- Inhalation:** Move from exposure area to fresh air. Monitor breathing. Seek medical attention if feeling unwell or problems breathing.
- Ingestion:** Rinse mouth with water. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician to get medical advice if one feels unwell.

MOST IMPORTANT SYMPTOMS / EFFECTS. Acute and Delayed:

- General:** May cause eye irritation. Maybe harmful if swallowed.
- Eye Contact:** Maybe irritation if in eyes.
- Skin Contact:** May cause irritation and or redness.
- Inhalation:** May cause respiratory irritation resulting in coughing, choking and / or wheezing.
- Ingestion:** Irritation of the gastrointestinal tract may develop with increased thirst, nausea, and / or diarrhea.

5 – FIRE - FIGHTING MEASURES

EXTINGUISHING MEDIA:

- Suitable:** Water fog or fine spray, alcohol foams, carbon dioxide, or dry chemical.
- Unsuitable:** **DO NOT** use a heavy stream of water as this may spread the fire.
- Fire Hazard:** Non-Flammable
- Explosion Hazard:** Product is not explosive.
- Special Hazards:** Combustion may produce irritating and /or toxic gases / fumes..

6 – ACCIDENTAL RELEASE MEASURES:

- Personal Precautions:** Prevent eye, skin and clothing contact. Avoid breathing mist/spray. Spilled material may present a slip hazard on some surfaces.
- Environmental Precautions:** Prevent large spills from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12 for Ecological Information/Data.
- Containment and Clean up:** Stop spill or leak at source if safe to do so. Sweep / Vacuum up spillage and collect in suitable container.

7 – HANDLING AND STORAGE:

- Precautions for Safe Handling:** Avoid contact with eyes, skin, and clothing. Avoid breathing mist/spray. Wash hands thoroughly after handling. Do not eat or drink after handling without washing hands.
- Conditions for safe storage:** Store in a cool, dry area. Keep containers dry and tightly closed to avoid moisture absorption or contamination. .
- Incompatible Materials:** None known.



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

8 – EXPOSURE CONTROLS / PERSONAL PROTECTION:

Regulatory Exposure Limits (REL's): Listed below for the product components that have regulatory occupational exposure limits (OEL's) established. If no limits are displayed then no values were found or are applicable.

Component	CAS Number:	OSHA PEL	ACGIH TLV	NIOSH IDLH
2-butoxyethanol	111-76-2	Z-1 TWA: 50 ppm TWA: 240 mg/m ³	TWA:20 ppm	TWA: 5 ppm TWA: 24 mg/m ³
		P0 TWA: 25 ppm TWA: 120 mg/m ³		
Diethanolamine	111-42-2	(vacated) TWA: 3 ppm TWA: 15 mg/m ³	TWA: 1 mg/m ³	TWA: 3 ppm TWA: 15 mg/m ³
Sodium Hydroxide	1310-73-2	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³

Engineering Controls: Ensure adequate ventilation / use in a well-ventilated area.

Personal Protection:

Eye Protection: Safety goggles, face shield, or safety glasses

Skin Protection: Chemical resistant gloves. Apron / suit impervious to the material.

Respiratory Protection: Where OEL's maybe reached or exceeded consult with an industrial hygienist for proper/approved respiration protection.

General Hygiene: Do **NOT** eat, drink, smoke or use cosmetics when handling this material. Avoid contact with eye, skin and clothing. Avoid breathing the mist.

9 - PHYSICAL AND CHEMICAL PROPERTIES:

Appearance:	Liquid, Pale Yellow	Boiling Point (°C/°F):.....	> 100 / > 212
Physical State:	Liquid	Flash Point (°C/°F):	> 95 / > 203
Odor:	Mild Solvent.	Method:	Tag Closed Cup
Odor Threshold (ppm):.....	Not Determined	Flammable Limits in Air by Volume (%) :	
pH (10% solution, 20°C):	9 – 11	Lower:	27.5
Melting Point (°C/°F):	Not Determined	Upper:	Not Determined
Freeze Point (°C/°F):	-17 / 0	Vapor Pressure:	Not Determined
Viscosity dynamic (cps @ 25 °C): ..	< 50	Vapor Density:	Not Determined
Viscosity kinematic (cps @ ___°C):	Not Determined	Solubility, water:	Soluble
Specific Gravity (@ 21°C):	1.00 – 1.04	Other:	Not Determined
Bulk Density (g/cm ³):.....	Not Applicable	Auto-ignition Temperature (°C/°F) : .	464 / 867
Evaporation Rate:	Similar to Water	Decomposition Temperature (°C/°F):	Not Determined
		Volatile Organic Compounds (%):	< 8



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

10 - STABILITY AND REACTIVITY:

Reactivity:

Not reactive.

Chemical Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Extreme heat.

Incompatible Materials:

Strong oxidizing agents

Hazardous Decomposition Products:

Decomposition may yield carbon monoxide, carbon dioxide and oxides of nitrogen..

Hazardous Polymerization:

Not expected to occur.

11 - TOXICOLOGICAL INFORMATION:

PRODUCT

Oral LD50

Dermal LD50

Inhalation LC50

Toxicological Information on the product has not been determined.

If data was found / known for the individual components, it is presented below

<u>Component</u>	<u>CAS Number:</u>	<u>Oral LD50</u>	<u>Dermal LD50</u>	<u>Inhalation LC50</u>
2-butoxyethanol	111-76-2	Rat: 1,300 mg/kg	Rat: >2,000 mg/kg	Rat 3h: >4.9 mg/L Guinea Pig 1h: >3.4 mg/L
Sodium Alkylbenzene Sulfonate	68081-81-2	Rat: 874 mg/kg	Rat: >2,000 mg/kg	
DEA Tallate	61790-66-7	No Data Found	No Data Found	No Data Found
Cocoamide Diethanolamine	68603-42-9	Rat: 620 mg/kg	Rat: >2,000 mg/kg	
Diethanolamine	111-42-2	Rat: 710 mg/kg	Rabbit: 764 mg/kg	
Sodium Hydroxide	1310-73-2	Rat: 500 mg/kg		

<u>Component</u>	<u>CAS Number:</u>
2-butoxyethanol	111-76-2
<u>Skin Corrosion/Irritation:</u> Rabbit, 24 h: moderate	
<u>Serious Eye Damage/Irritation:</u> Rabbit, 24 h: moderate	
<u>Respiratory or Skin Sensitization:</u> Skin, Guinea Pig: Not a skin sensitizer	
<u>Carcinogenicity:</u> Rat, Inhalation, M&F, OECD Test 451, Remarks: Negative	
<u>Toxicity to Reproduction:</u> OECD Test 416: Mouse, M&F, 2 Generation NOAEL:720 mg/kg, Ingestion	
<u>Developmental Toxicity:</u> Rat, M&F; NOAEL:100 mg/kg, NOAEL:30 mg/kg; Ingestion	



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

In vitro: Salmonella typhyrum assay (Ames test): Negative
Germ Cell Mutagenicity: In vivo: Chromosomal aberration intraperitoneal injection (Mouse Male):
Negative

STOT – Single exposure No Data Found

STOT – Repeated exposure LOAEL (Rat, Oral): 69 mg/kg (Liver); NOAEL (Rat, Dermal): 150 mg/kg;
LOAEC (Rat, Inhalation): 152 mg/m³ (Blood)

Sodium Alkylbenzene Sulfonate 68081-81-2

Skin Corrosion/Irritation: Irritating, rabbit. 24 hrs

Serious Eye Damage/Irritation: Severe irritant, rabbit. 24 hrs

Respiratory or Skin Sensitization: No Data Found

Carcinogenicity: No Data Found

Toxicity to Reproduction: No Data Found

Developmental Toxicity: No Data Found

Germ Cell Mutagenicity: No Data Found

STOT – Single exposure No Data Found

STOT – Repeated exposure No Data Found

DEA Tallate 61790-66-7

Skin Corrosion/Irritation: No Data Found

Serious Eye Damage/Irritation: No Data Found

Respiratory or Skin Sensitization: No Data Found

Carcinogenicity: No Data Found

Toxicity to Reproduction: No Data Found

Developmental Toxicity: No Data Found

Germ Cell Mutagenicity: No Data Found

STOT – Single exposure No Data Found

STOT – Repeated exposure No Data Found

Cocoamide Diethanolamine 68603-42-9

Skin Corrosion/Irritation: No Data Found

Serious Eye Damage/Irritation: No Data Found

Respiratory or Skin Sensitization: No Data Found

Carcinogenicity: No Data Found

Toxicity to Reproduction: No Data Found



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

Developmental Toxicity: No Data Found

Germ Cell Mutagenicity: No Data Found

STOT – Single exposure No Data Found

STOT – Repeated exposure No Data Found

Diethanolamine 111-42-2

Skin Corrosion/Irritation: Prolonged contact may cause reness and irritation. Repeated contact may cause burns.

Serious Eye Damage/Irritation: May Cause severe eye irritation and / or corneal injury.

Respiratory or Skin Sensitization: None skin sensitization in Guinea Pigs, No data found for respiratory.

IARC = Group 2B, possible carcinogenic to humans
Carcinogenicity: ACGIH = A3, confirmed animal carcinogen with unknown relevance to humans..

Toxicity to Reproduction: No Data Found

Developmental Toxicity: No Data Found

Germ Cell Mutagenicity: In vitro were negative

STOT – Single exposure No significant data found

STOT – Repeated exposure Possible anemia in rats, liver in mice and kidneys in mice and rats were affected.

Sodium Hydroxide 1310-73-2

Skin Corrosion/Irritation: Can cause severe burns.

Serious Eye Damage/Irritation: Can Cause severe eye damage.

Respiratory or Skin Sensitization: No Data Found

Carcinogenicity: No Data Found

Toxicity to Reproduction: No Data Found

Developmental Toxicity: No Data Found

Germ Cell Mutagenicity: No Data Found

STOT – Single exposure No Data Found

STOT – Repeated exposure No Data Found

12 - ECOLOGICAL INFORMATION:

PRODUCT

Ecotoxicity Information on the product has not been determined.

If data was found / known for the individual components, it is presented below

<u>Component</u>	<u>CAS Number:</u>
2-butoxyethanol	111-76-2



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

Hazards to Aquatic Environment:

Acute hazards: Fish: LC-50 (Oncorhynchus mykiss, 96 h): 1,474 mg/L

Aquatic Invertebrates: LC-50 (Water Flea, 48 h): 1,550 mg/L

Aquatic Plants: No Data Found

Chronic hazards: Fish: NOEC (Zebra Fish, 21 d): >100 mg/L

Aquatic Invertebrates: NOEC (daphnid, 21 d): 100 mg/L

Aquatic Plants: EC-50 (Pseudokirchneriella subcapitata, 72 h): 1,840 mg/L

Persistence & Degradability Biodegradation: 90.4% (28d) Readily Biodegradable

BOD/COD Ratio: No Data Found; Partition Coefficient: No Data Found

Sodium Alkylbenzene Sulfonate 68081-81-2

Hazards to Aquatic Environment:

Acute hazards: Fish: No Data Found

Aquatic Invertebrates: No Data Found

Aquatic Plants: No Data Found

Chronic hazards: Fish: NOEC Oncorhynchus kisutch 3d: 3.1 mg/L
LOEC Oncorhynchus kisutch 3d: 5.6 mg/L

Aquatic Invertebrates: NOEC Daphnia 7d: 4. mg/L

Aquatic Plants: No Data Found

Persistence & Degradability Biodegradation: No Data Found

BOD/COD Ratio: No Data Found; Partition Coefficient: No Data Found

DEA Tallate 61790-66-7

Hazards to Aquatic Environment:

Acute hazards: Fish: No Data Found

Aquatic Invertebrates: No Data Found

Aquatic Plants: No Data Found

Chronic hazards: Fish: No Data Found

Aquatic Invertebrates: No Data Found

Aquatic Plants: No Data Found

Persistence & Degradability Biodegradation: No Data Found

BOD/COD Ratio: No Data Found; Partition Coefficient: No Data Found

Cocoamide Diethanolamine 68603-42-9

Hazards to Aquatic Environment:

Acute hazards: Fish: LC-50 (Brachydanio rerio, 96 h): 3.6 mg/L semi static



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

Aquatic Invertebrates: LC-50 (Daphnia magna, 24 h): 4.2 mg/L

Aquatic Plants: No Data Found

Chronic hazards: Fish: No Data Found

Aquatic Invertebrates: No Data Found

Aquatic Plants: No Data Found

Persistence & Degradability Biodegradation: No Data Found

BOD/COD Ratio: No Data Found; Partition Coefficient: No Data Found

Diethanolamine 111-42-2

Hazards to Aquatic Environment:

Acute hazards: Fish: LC-50 (Pimephales promelas, 96 h): 1,460 mg/L, static, OECD 203

Aquatic Invertebrates: EC-50 (Daphnia magna, 48 h): 55 mg/L, static, OECD 202

Aquatic Plants: No Data Found

Chronic hazards: Fish: No Data Found

Aquatic Invertebrates: NOEC (Daphnia magna, 21 d): 0.78 mg/L, semi-static
LOEC (Daphnia magna, 21 d): 1.56 mg/L, semio-static,,

Aquatic Plants: No Data Found

Persistence & Degradability Biodegradation: Readily Biodegradable.

BOD/COD Ratio: No Data Found; Partition Coefficient: -2.18 @25°C
OECD 107

Sodium Hydroxide 1310-73-2

Hazards to Aquatic Environment:

Acute hazards: Fish: LC-50 (Oncorhynchus mykiss, 96 h): 45.4 mg/L, static

Aquatic Invertebrates: No Data Found

Aquatic Plants: No Data Found

Chronic hazards: Fish: No Data Found

Aquatic Invertebrates: No Data Found

Aquatic Plants: No Data Found

Persistence & Degradability Biodegradation: No Data Found

BOD/COD Ratio: No Data Found; Partition Coefficient: No Data Found

13 - DISPOSAL CONSIDERATIONS:

Disposal Instructions:

Dispose of waste material according to local, state, federal, and provincial regulations.

RCRA & Hazardous Waste:

It is the responsibility of the waste generator to determine the proper waste identification and disposal method. Consult RCRA, Title 40 CFR 261 for hazardous waste classification and disposal.



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

14 - TRANSPORT INFORMATION:

US DOT per 49 CFR 100-185: NOT REGULATEDProper Shipping Name: Not ApplicableHazard Class/Division: Not ApplicableUN/NA Number Not ApplicablePacking Group Not Applicable**TDG:** NOT REGULATED**IMDG:** Refer to Current IMDG regulations for full shipping description requirements**IATA:** This material is not prepared or packaged for air transportation*International shipping requirements must be determined by the party offering the material for transportation. The manufacturer does not offer this material for international shipping.*

15 - REGULATORY INFORMATION:

US FEDERAL REGULATIONS (for mixture components):

TSCA	SARA 302	SARA 304	SARA 311/312	SARA 313
Listed or Exempt	None Listed	None Listed	Diethanolamine 111-42-2	None Listed
CWA 307 / 311	CAA 112 (Flammable Substances)	CAA 112 (Toxic Substances)		
None Listed	None Listed	None Listed		

STATE (US) Right -to-Know (for mixture components):

STATE	COMPONENT	CAS #
Massachusetts	Sodium Alkylbenzene Sulfonate	68081-81-2
	Diethanolamine	111-42-2
	Sodium Hydroxide	1310-73-2
New Jersey	Diethanolamine	111-42-2
	Sodium Hydroxide	1310-73-2
Pennsylvania	Sodium Alkylbenzene Sulfonate	68081-81-2
	Diethanolamine	111-42-2
	Sodium Hydroxide	1310-73-2

California Prop 65 This product can expose you to diethanolamine, which known to the State of California to cause Cancer.For more information go to www.P65Warnings.ca.gov

Diethanolamine	111-42-2
----------------	----------

California Cleaning Product Right to Know Act (Bill 258), Statement.

<u>NAME</u>	<u>CAS NUMBER</u>	<u>FUNCTION</u>
Water	7732-18-5	Solvent
2-Butoxyethanol	111-76-2	Solvent
Sodium Alkylbenzene Sulfonate	68081-81-2	Surfactant
Cocoamide DEA	68603-42-9	Surfactant



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

DEA Tallate	61790-66-7	Surfactant
Diethanolamine	111-42-2	Surfactant
Sodium Hydroxide	1310-73-2	Buffer
Benzaldehyde	100-52-7	Fragrance

COUNTRY CHEMICAL LISTINGS (for mixture components):

AICS (Australia)	DSL (Canada)
Components Listed Or exempt	Components Listed Or exempt

16 - OTHER INFORMATION:

HMIS Ratings:

HEALTH

1

FIRE

0

REACTIVITY

0

Hazard Scale:

0= Minimal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

* = Chronic Hazard

NFPA RATINGS:

HEALTH

1

FLAMMABILITY

0

REACTIVITY

0

OTHER

None

Hazard Scale:

0= Minimal

1 = Slight

2 = Moderate

3 = Serious

4 = Severe

ACRONYMS

ACGIH:	American Conference of Governmental Industrial Hygienists	LOEC:	Lowest Observed Effect Level
AICS:	Australian Inventory of Chemical Substances (AUS)	NFPA	National Fire Protection Association (US)
AUS:	Australia	NICNAS:	National Industrial Chemicals Notification & Assessment Scheme
CAA:	Clean Air Act (US)	NIOSH:	National Institute for Occupational Safety and Health (US)
CAN:	Canada	NDA	No Data Available
CDC:	Center for Disease Control (US)	NDF	No Data Found
CEPA:	Canadian Environmental Protection Act (CAN)	NDSL	Non-Domestic Substances Inventory (CAN)
CERCLA:	Comprehensive Environmental Response, Compensation & Liability Act (US)	NOEC:	No Observed Effect Concentration
CWA:	Clean Water Act (US)	NTP:	National Toxicology Program (US DHHS)
DHHS:	Department of Health and Human Services (US)	OECD:	Organization for Economic Cooperation and Development
DOL:	Department of Labor (US)	OEL:	Occupational Exposure Limit
DOT:	Department of Transportation (US)	OSHA (US):	Occupational Safety and Health Administration (US)
DSL:	Domestic Substances List (CAN)	PEL:	Permissible Exposure Limit
ECHA:	European Chemicals Agency	RCRA:	Resource Conservation and Recovery Act (EPS US)
EINECS	European Inventory of Existing Commercial Chemical Substances	RTK:	Right to Know (US)
ELINCS	European List of Notified Chemical Substances	RQ	Reportable Quantity
EPA:	Environmental Protection Agency (US)	SARA:	Superfund Amendments and Reauthorization Act (US)



SAFETY DATA SHEET

SDS#: 820532_E_5

Product:

BLACK STREAK REMOVER

Initial Date Prepared: 9/17/2017

Date Revised: 12/30/19

Revision Number 5

EPCRA: Emergency Planning & Community Right-to-Know Act (US)

GHS: Global Harmonized System

GRAS: Generally Regarded as Safe (US)

HCIS: Hazardous Chemical Information System (AUS)

HMIS: Hazardous Material Information System

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association

IFRA: International Fragrance Association

IMDG: International Maritime Dangerous Goods

STEL: Short Term Exposure Limit

TDG: Transportation of Dangerous Goods (CAN)

TLV: Threshold Limit Value

TPQ: Threshold Planning Quantity (US SARA)

TSCA: Toxic Substances Control Act

TWA: Time Weighted Average

UEL: Upper Exposure Limit

US: United States

2 WHIM
8 S Workplace Hazardous Material Information System (CAN)

DISCLAIMER

To the best of our knowledge, the information contained herein is accurate, obtained from sources believed by Camco Manufacturing, Inc., to be accurate. However, the information is provided without any representation or warranty, expressed or implied, regarding its accuracy or correctness.

The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. It is the responsibility of the user to determine the safety, toxicity and suitability of their own use, handling and disposal of this product