



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **California Scents Palms Monterey Vanilla**  
Alternative number(s) 091400039332

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer use: Air Freshener

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard statement
A.4S	skin sensitization	1	Skin Sens. 1	H317

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word warning

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### - Pictograms

GHS07



### - Hazard statements

H317 May cause an allergic skin reaction.

### - Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P103 Read label before use.  
 P261 Avoid breathing mist/vapors.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352 If on skin: Wash with plenty of water.  
 P321 Specific treatment (see on this label).  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P363 Wash contaminated clothing before reuse.  
 P501 Dispose of contents/container in accordance with national regulations.

### 2.2.1.7- Hazardous ingredients for labelling

Coumarin, allyl 3-cyclohexylpropionate, Aldehyde C-16, 3,7-dimethylnona-1,6-dien-3-ol, citral, Linalool

## 2.3 Other hazards

Hazards not otherwise classified

May be harmful if swallowed (GHS category 5: acutely toxic - oral).

Toxic to aquatic life with long lasting effects (GHS category 2: aquatic toxicity - acute and/or chronic).

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.


## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures









Description of the mixture

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
benzyl benzoate	120-51-4	5 - < 10	Acute Tox. 4 / H302	

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
allyl 3-cyclohexylpropionate	2705-87-5	1 - < 5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Sens. 1B / H317	
Allyl Caproate	123-68-2	1 - < 5	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Flam. Liq. 4 / H227	
Coumarin	91-64-5	1 - < 5	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Skin Sens. 1 / H317	
(2-methoxymethylethoxy)propanol	34590-94-8	1 - < 5	Flam. Liq. 4 / H227	
Allyl heptanoate	142-19-8	1 - < 5	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Flam. Liq. 4 / H227	
citral	5392-40-5	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Asp. Tox. 1 / H304	
Linalool	78-70-6	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	
Aldehyde C-16	77-83-8	< 1	Skin Sens. 1B / H317	
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Flam. Liq. 4 / H227	

For full text of abbreviations: see SECTION 16.

### SECTION 4: First-aid measures

#### 4.1 Description of first-aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
US	(2-methoxy-methylethoxy)propanol	34590-94-8	TLV®	100		150					AC-GIH® 2019
US	dipropylene glycol methyl ether	34590-94-8	PEL (CA)	100	600	150	900				Cal/OSHA PEL
US	dipropylene glycol methyl ether	34590-94-8	REL	100 (10 h)	600 (10 h)	150	900				NIOSH REL
US	dipropylene glycol methyl ether	34590-94-8	PEL	100	600						29 CFR 1910.1000
US	citral	5392-40-5	TLV®	5						iv	AC-GIH® 2019
US	cellulose	9004-34-6	TLV®		10						AC-GIH® 2019
US	cellulose	9004-34-6	REL		10 (10 h)					i	NIOSH REL
US	cellulose	9004-34-6	PEL		15					i, dust	29 CFR 1910.1000
US	cellulose	9004-34-6	REL		5 (10 h)					r	NIOSH REL
US	cellulose	9004-34-6	PEL		5					r, dust	29 CFR 1910.1000

#### Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
dust	as dust
i	inhalable fraction
iv	inhalable fraction and vapor
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
benzyl benzoate	120-51-4	DNEL	5.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
benzyl benzoate	120-51-4	DNEL	102 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
benzyl benzoate	120-51-4	DNEL	2.6 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(2-methoxymethyl-ethoxy)propanol	34590-94-8	DNEL	308 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
(2-methoxymethyl-ethoxy)propanol	34590-94-8	DNEL	283 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
allyl 3-cyclohexylpropionate	2705-87-5	DNEL	15 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
allyl 3-cyclohexylpropionate	2705-87-5	DNEL	4.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Coumarin	91-64-5	DNEL	6.78 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Coumarin	91-64-5	DNEL	0.79 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Allyl Caproate	123-68-2	DNEL	15 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Allyl Caproate	123-68-2	DNEL	4.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Allyl heptanoate	142-19-8	DNEL	2.97 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Allyl heptanoate	142-19-8	DNEL	0.84 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	2.45 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	0.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	9 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	1.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
citral	5392-40-5	DNEL	140 µg/cm <sup>2</sup>	human, dermal	worker (industry)	chronic - local effects



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Linalool	78-70-6	DNEL	2.8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	16.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	18 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	2.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	DNEL	5.5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
benzyl benzoate	120-51-4	PNEC	0.017 mg/l	aquatic organisms	freshwater	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	10.66 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	1.07 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
benzyl benzoate	120-51-4	PNEC	2.12 mg/kg	terrestrial organisms	soil	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	190 mg/l	aquatic organisms	water	intermittent release



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	19 mg/l	aquatic organisms	freshwater	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	1.9 mg/l	aquatic organisms	marine water	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	4,168 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	70.2 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	7.02 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
(2-methoxymethyl-ethoxy)propanol	34590-94-8	PNEC	2.74 mg/kg	terrestrial organisms	soil	short-term (single instance)
allyl 3-cyclohexylpropionate	2705-87-5	PNEC	143 mg/kg	aquatic organisms	water	short-term (single instance)
allyl 3-cyclohexylpropionate	2705-87-5	PNEC	1.3 µg/l	aquatic organisms	water	intermittent release
allyl 3-cyclohexylpropionate	2705-87-5	PNEC	0.13 µg/l	aquatic organisms	freshwater	short-term (single instance)
allyl 3-cyclohexylpropionate	2705-87-5	PNEC	0.013 µg/l	aquatic organisms	marine water	short-term (single instance)
allyl 3-cyclohexylpropionate	2705-87-5	PNEC	0.2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
allyl 3-cyclohexylpropionate	2705-87-5	PNEC	24.13 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
allyl 3-cyclohexylpropionate	2705-87-5	PNEC	2.413 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
allyl 3-cyclohexylpropionate	2705-87-5	PNEC	4.75 µg/kg	terrestrial organisms	soil	short-term (single instance)
Coumarin	91-64-5	PNEC	0.056 mg/l	aquatic organisms	water	intermittent release
Coumarin	91-64-5	PNEC	19 µg/l	aquatic organisms	freshwater	short-term (single instance)
Coumarin	91-64-5	PNEC	1.9 µg/l	aquatic organisms	marine water	short-term (single instance)
Coumarin	91-64-5	PNEC	6.4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Coumarin	91-64-5	PNEC	0.15 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.015 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Coumarin	91-64-5	PNEC	0.018 mg/kg	terrestrial organisms	soil	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	47.56 mg/kg	aquatic organisms	water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	1.17 µg/l	aquatic organisms	water	intermittent release
Allyl Caproate	123-68-2	PNEC	0.117 µg/l	aquatic organisms	freshwater	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.012 µg/l	aquatic organisms	marine water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	4.46 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.446 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.825 µg/kg	terrestrial organisms	soil	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	51.78 mg/kg	aquatic organisms	water	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	1.2 µg/l	aquatic organisms	water	intermittent release
Allyl heptanoate	142-19-8	PNEC	0.12 µg/l	aquatic organisms	freshwater	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	0.012 µg/l	aquatic organisms	marine water	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	0.012 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	0.001 mg/kg	aquatic organisms	marine sediment	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Allyl heptanoate	142-19-8	PNEC	0.002 mg/kg	terrestrial organisms	soil	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	23.3 mg/kg	aquatic organisms	water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.084 mg/l	aquatic organisms	water	intermittent release
Aldehyde C-16	77-83-8	PNEC	0.008 mg/l	aquatic organisms	freshwater	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	8.4 µg/l	aquatic organisms	marine water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.214 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.021 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.038 mg/kg	terrestrial organisms	soil	short-term (single instance)
citral	5392-40-5	PNEC	0.007 mg/l	aquatic organisms	freshwater	short-term (single instance)
citral	5392-40-5	PNEC	0.001 mg/l	aquatic organisms	marine water	short-term (single instance)
citral	5392-40-5	PNEC	1.6 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
citral	5392-40-5	PNEC	0.125 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
citral	5392-40-5	PNEC	0.013 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
citral	5392-40-5	PNEC	0.021 mg/kg	terrestrial organisms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 mg/kg	aquatic organisms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 mg/l	aquatic organisms	water	intermittent release
Linalool	78-70-6	PNEC	0.2 mg/l	aquatic organisms	freshwater	short-term (single instance)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Linalool	78-70-6	PNEC	0.02 mg/l	aquatic organisms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 mg/kg	terrestrial organisms	soil	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	8.53 mg/kg	aquatic organisms	water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.23 mg/l	aquatic organisms	water	intermittent release
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.023 mg/l	aquatic organisms	freshwater	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.223 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.022 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	PNEC	0.031 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Skin protection

#### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### - Type of material

PVA: polyvinyl alcohol, Nitrile

#### - Material thickness

>0.5 mm

#### - Breakthrough times of the glove material

>120 minutes (permeation: level 4)

#### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	solid
Color	various
Odor	characteristic

#### Other safety parameters

pH (value)	not applicable
Melting point/freezing point	not determined
Initial boiling point and boiling range	186.8 °C at 1,013 hPa
Flash point	94 °C



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

Evaporation rate	Not determined
Flammability (solid, gas)	non-combustible
Vapor pressure	10 mmHg at 75.1 °C
Density	not determined
Vapor density	this information is not available
Relative density	Information on this property is not available
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	480 °C
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidizing properties	none
<b>9.2 Other information</b>	there is no additional information

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

##### Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### 10.5 Incompatible materials

Oxidizers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
allyl 3-cyclohexylpropionate	2705-87-5	oral	500 mg/kg
allyl 3-cyclohexylpropionate	2705-87-5	dermal	1,600 mg/kg
allyl 3-cyclohexylpropionate	2705-87-5	inhalation: vapor	11 mg/l/4h
Coumarin	91-64-5	oral	293 mg/kg
Coumarin	91-64-5	dermal	293 mg/kg
Allyl Caproate	123-68-2	oral	100 mg/kg
Allyl Caproate	123-68-2	dermal	820 mg/kg
Allyl Caproate	123-68-2	inhalation: vapor	3 mg/l/4h
Allyl heptanoate	142-19-8	oral	218 mg/kg
Allyl heptanoate	142-19-8	dermal	810 mg/kg

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Respiratory or skin sensitization

May cause an allergic skin reaction.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Name of substance	CAS No	Classification	Number
Coumarin	91-64-5	3	

#### Legend

3 Not classifiable as to carcinogenicity in humans

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
benzyl benzoate	120-51-4	LC50	2.32 mg/l	fish	96 h
benzyl benzoate	120-51-4	EC50	4.26 mg/l	aquatic invertebrates	24 h
benzyl benzoate	120-51-4	ErC50	0.475 mg/l	algae	72 h
benzyl benzoate	120-51-4	NOEC	1.73 mg/l	aquatic invertebrates	48 h
(2-methoxymethylethoxy)propanol	34590-94-8	LC50	>1,000 mg/l	fish	96 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
(2-methoxymethylethoxy)propanol	34590-94-8	ErC50	>969 mg/l	algae	72 h
(2-methoxymethylethoxy)propanol	34590-94-8	EC50	>969 mg/l	algae	72 h
(2-methoxymethylethoxy)propanol	34590-94-8	NOEC	969 mg/l	algae	72 h
allyl 3-cyclohexylpropionate	2705-87-5	LC50	0.13 mg/l	fish	96 h
allyl 3-cyclohexylpropionate	2705-87-5	EC50	3.8 mg/l	aquatic invertebrates	48 h
allyl 3-cyclohexylpropionate	2705-87-5	ErC50	3 mg/l	algae	72 h
allyl 3-cyclohexylpropionate	2705-87-5	NOEC	0.86 mg/l	aquatic invertebrates	48 h
allyl 3-cyclohexylpropionate	2705-87-5	growth rate (ErCx) 10%	1.6 mg/l	algae	72 h
Coumarin	91-64-5	LC50	2.94 mg/l	fish	96 h
Coumarin	91-64-5	EC50	8.012 mg/l	aquatic invertebrates	48 h
Coumarin	91-64-5	NOEC	0.431 mg/l	algae	72 h
Allyl Caproate	123-68-2	LC50	0.201 mg/l	fish	24 h
Allyl Caproate	123-68-2	EC50	2 mg/l	aquatic invertebrates	48 h
Allyl Caproate	123-68-2	ErC50	>4.6 mg/l	algae	72 h
Allyl Caproate	123-68-2	NOEC	0.158 mg/l	algae	72 h
Allyl Caproate	123-68-2	LOEC	0.505 mg/l	algae	72 h
Allyl Caproate	123-68-2	growth rate (ErCx) 10%	0.255 mg/l	algae	72 h
Allyl heptanoate	142-19-8	LC50	0.201 mg/l	fish	24 h
Allyl heptanoate	142-19-8	EC50	0.89 mg/l	aquatic invertebrates	48 h
Allyl heptanoate	142-19-8	ErC50	>4.6 mg/l	algae	72 h
Allyl heptanoate	142-19-8	NOEC	0.158 mg/l	algae	72 h
Allyl heptanoate	142-19-8	LOEC	0.505 mg/l	algae	72 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Allyl heptanoate	142-19-8	growth rate (ErCx) 10%	0.255 mg/l	algae	72 h
Aldehyde C-16	77-83-8	LC50	4.2 mg/l	fish	96 h
Aldehyde C-16	77-83-8	EC50	95 mg/l	aquatic invertebrates	24 h
Aldehyde C-16	77-83-8	ErC50	36 mg/l	algae	72 h
Aldehyde C-16	77-83-8	NOEC	3.2 mg/l	fish	96 h
Aldehyde C-16	77-83-8	LOEC	20 mg/l	algae	72 h
Aldehyde C-16	77-83-8	growth (EbCx) 10%	80 mg/l	aquatic invertebrates	24 h
citral	5392-40-5	LC50	6.78 mg/l	fish	96 h
citral	5392-40-5	EC50	6.8 mg/l	aquatic invertebrates	48 h
citral	5392-40-5	ErC50	103.8 mg/l	algae	72 h
citral	5392-40-5	NOEC	4.6 mg/l	fish	96 h
citral	5392-40-5	growth rate (ErCx) 10%	3 mg/l	algae	72 h
Linalool	78-70-6	LC50	27.8 mg/l	fish	96 h
Linalool	78-70-6	EC50	59 mg/l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156.7 mg/l	algae	96 h
Linalool	78-70-6	NOEC	<3.5 mg/l	fish	96 h
Linalool	78-70-6	growth (EbCx) 10%	38.4 mg/l	algae	96 h
Linalool	78-70-6	growth rate (ErCx) 10%	54.3 mg/l	algae	96 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LC50	24 mg/l	fish	24 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	EC50	23 mg/l	aquatic invertebrates	48 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	ErC50	25.1 mg/l	algae	72 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	NOEC	5 mg/l	fish	96 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LOEC	16 mg/l	fish	96 h

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
benzyl benzoate	120-51-4	LC50	11 mg/l	aquatic invertebrates	24 h
benzyl benzoate	120-51-4	EC50	>10,000 mg/l	microorganisms	3 h
benzyl benzoate	120-51-4	NOEC	0.258 mg/l	aquatic invertebrates	21 d
benzyl benzoate	120-51-4	LOEC	0.455 mg/l	aquatic invertebrates	21 d
(2-methoxymethylethoxy)propanol	34590-94-8	LC50	>1,000 mg/l	aquatic invertebrates	24 h
(2-methoxymethylethoxy)propanol	34590-94-8	NOEC	≥0.5 mg/l	aquatic invertebrates	22 d
(2-methoxymethylethoxy)propanol	34590-94-8	LOEC	0.5 mg/l	aquatic invertebrates	22 d
(2-methoxymethylethoxy)propanol	34590-94-8	growth (EbCx) 10%	4,168 mg/l	microorganisms	18 h
allyl 3-cyclohexylpropionate	2705-87-5	EC50	7.7 mg/l	aquatic invertebrates	24 h
Coumarin	91-64-5	NOEC	0.191 mg/l	fish	30 d
Aldehyde C-16	77-83-8	EC50	95 mg/l	aquatic invertebrates	24 h
Aldehyde C-16	77-83-8	growth (EbCx) 10%	80 mg/l	aquatic invertebrates	24 h
citral	5392-40-5	EC50	160 mg/l	microorganisms	30 min
citral	5392-40-5	growth (EbCx) 20%	68 mg/l	microorganisms	30 min
Linalool	78-70-6	LC50	27.8 mg/l	fish	24 h
Linalool	78-70-6	EC50	>100 mg/l	microorganisms	30 min
Linalool	78-70-6	growth (EbCx) 10%	>100 mg/l	microorganisms	3 h



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	EC50	59 mg/l	aquatic invertebrates	24 h
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6	LC50	28 mg/l	fish	3 h

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

##### Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

##### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### SECTION 14: Transport information

#### 14.1 UN number

DOT	3077
IMDG-Code	3077
ICAO-TI	3077

#### 14.2 UN proper shipping name

DOT	Environmentally hazardous substance, solid, n.o.s.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
ICAO-TI	Environmentally hazardous substance, solid, n.o.s.
Technical name (hazardous ingredients)	benzyl benzoate, allyl 3-cyclohexylpropionate

#### 14.3 Transport hazard class(es)

DOT	9
IMDG-Code	9
ICAO-TI	9

#### 14.4 Packing group

DOT	III
IMDG-Code	III
ICAO-TI	III

#### 14.5 Environmental hazards

	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment)	benzyl benzoate, allyl 3-cyclohexylpropionate

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:

DOT: 171.4(2)  
ADR: SP 375  
IMDG: 2.10.2.7  
IATA: special provision A197, DOT



# Safety Data Sheet



acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla



Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15



### Transport of dangerous goods by road or rail (49 CFR US DOT) - Additional information

Particulars in the shipper's declaration	UN3077, Environmentally hazardous substance, solid, n.o.s., (contains: benzyl benzoate, allyl 3-cyclohexylpropionate), 9, III
Danger label(s)	9, fish and tree
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	8, 146, 335, 384, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33
ERG No	171

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., (contains: benzyl benzoate, allyl 3-cyclohexylpropionate), 9, III
Marine pollutant	yes (hazardous to the aquatic environment) (Benzyl benzoate)
Danger label(s)	9, fish and tree
 	
Special provisions (SP)	274, 335, 966, 967, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-F
Stowage category	A

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration	UN3077, Environmentally hazardous substance, solid, n.o.s., (contains: benzyl benzoate, allyl 3-cyclohexylpropionate), 9, III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	9, fish and tree
 	
Special provisions (SP)	A97, A158, A179, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

**Toxic Substance Control Act (TSCA)** all ingredients are listed

##### Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

none of the ingredients are listed

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

none of the ingredients are listed

##### Clean Air Act

none of the ingredients are listed

##### Right to Know Hazardous Substance List

- Cleaning Product Right to Know Act Substance List (CA-RTK)

Name of substance	Name acc. to inventory	CAS No	Functional-ity	Authoritative Lists
Cellulose		9004-34-6	substrate	
Benzyl benzoate	Benzyl benzoate	120-51-4		EU Fragrance Allergens
Coumarin	Coumarin	91-64-5		EU Fragrance Allergens
Benzyl butyrate		103-37-7	fragrance	
Citral	Citral	5392-40-5		EU Fragrance Allergens
Linalool	Linalool	78-70-6		EU Fragrance Allergens
Anisic Aldehyde		123-11-5	fragrance	
Isononyl acetate		40379-24-6	fragrance	

- Toxic or Hazardous Substance List (MA-TURA)

none of the ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### - Hazardous Substances List (MN-ERTK)

Name of substance	Name acc. to inventory	CAS No	References	Remarks
Cellulose	Cellulose (paper)	9004-34-6	A	fiber
(2-methoxymethylethoxy)propanol	Dipropylene glycol methyl ether	34590-94-8	A, O	

**Legend**

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

### - Hazardous Substance List (NJ-RTK)

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications
Benzyl acetate	benzyl acetate (acetic acid, phenylmethyl ester)	140-11-4		F2
Cellulose	cellulose	9004-34-6		
(2-methoxymethylethoxy)propanol	dipropylene glycol methyl ether	34590-94-8		F2

**Legend**

- F2 Flammable - Second Degree

### - Hazardous Substance List (Chapter 323) (PA-RTK)

Name of substance	Name acc. to inventory	CAS No	Classification
Cellulose	CELLULOSE	9004-34-6	
(2-methoxymethylethoxy)propanol	PROPANOL, (2-METHOXY-METHYLETHOXY)-	34590-94-8	

### - Hazardous Substance List (RI-RTK)

Name of substance	Name acc. to inventory	CAS No	References
Cellulose	Cellulose (Paper fiber)	9004-34-6	T
(2-methoxymethylethoxy)propanol	Dipropylene glycol methyl ether	34590-94-8	T

**Legend**

- T Toxicity (ACGIH®)

### California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

none of the ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

### Industry or sector specific available guidance(s)

#### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	2	temporary or minor injury may occur
Flammability	0	material that will not burn under typical fire conditions
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

#### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	0	material that will not burn under typical fire conditions
Health	2	material that, under emergency conditions, can cause temporary incapacitation or residual injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

Country	Inventory	Status
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information, including date of preparation or last revision

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
3.2		Description of the mixture: change in the listing (table)	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
14.1	UN number: 3077	UN number	yes
14.1		DOT: 3077	yes
14.1		IMDG-Code: 3077	yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.1		ICAO-TI: 3077	yes
14.2	UN proper shipping name: Environmentally hazardous substance, solid, n.o.s.	UN proper shipping name	yes
14.2		DOT: Environmentally hazardous substance, solid, n.o.s.	yes
14.2		IMDG-Code: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	yes
14.2		ICAO-TI: Environmentally hazardous substance, solid, n.o.s.	yes
14.3	Class: 9 (environmentally hazardous)		yes
14.3		DOT: 9	yes
14.3		IMDG-Code: 9	yes
14.3		ICAO-TI: 9	yes
14.4	Packing group: III (substance presenting low danger)	Packing group	yes
14.4		DOT: III	yes
14.4		IMDG-Code: III	yes
14.4		ICAO-TI: III	yes
14.7	Index number: 3077		yes
14.7	Proper shipping name: Environmentally hazardous substance, solid, n.o.s.		yes
14.7	Class: 9		yes
14.7	Packing group: III		yes



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7	UN number: 3077		yes
14.7	Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		yes
14.7	Class: 9		yes
14.7	Packing group: III		yes
14.7	Marine pollutant: yes (hazardous to the aquatic environment)	Marine pollutant: yes (hazardous to the aquatic environment) (Benzyl benzoate)	yes
14.7	UN number: 3077		yes
14.7	Proper shipping name: Environmentally hazardous substance, solid, n.o.s.		yes
14.7	Class: 9		yes
14.7	Packing group: III		yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH®	American Conference of Governmental Industrial Hygienists
ACGIH® 2019	From ACGIH®, 2019 TLVs® and BEIs® Book. Copyright 2019. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: <a href="http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement">http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement</a>
Acute Tox.	Acute toxicity
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

Abbr.	Descriptions of used abbreviations
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition



# Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

## California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

Abbr.	Descriptions of used abbreviations
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitization
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.



## Safety Data Sheet

acc. to 29 CFR 1910.1200 App D

### California Scents Palms Monterey Vanilla

Version number: 5.0  
Replaces version of: 2020-12-04 (4)

Revision: 2020-12-15

Code	Text
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.