



SAFETY DATA SHEET

Section 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: Seal-e-zee Extreme
Product Code: 19501

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Use: Seal Conditioner

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: International Lubricants, Inc.
P.O. Box 24743, Seattle WA
98124-0743, USA
Telephone Number: (206) 762-5343
(800) 333-LUBE (5823)

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone Number: CHEM TEL (800) 255-3924
CHEM TEL (813) 248-0585

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class
Gases under pressure (Liquefied gas)

2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

Hazard Pictogram:



Signal Word: Warning
Hazard Statement: Contains gas under pressure. May explode if heated.
May cause frostbite. May displace oxygen and cause rapid suffocation.
Prevention: Protect from sunlight. Use and store in a well-ventilated place.
Response: Not applicable
Storage: Protect from sunlight. Store in a well-ventilated area.
Disposal: Not applicable

2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Liquid can cause burns similar to frostbite. Asphyxiant in high concentrations.



SAFETY DATA SHEET

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Ingredient	CAS No	Wt. %
1,1,1,2-Tetrafluoroethane	811-97-2	60 - 100

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

- Eye:** In case of contact, immediately flush eyes with plenty of water for at least 10 minutes. If easy to do, remove contact lenses, if worn. If irritation persists, get medical attention.
- Skin:** For exposure to liquid, immediately warm frostbite area with warm water not to exceed 105°F (41°C). Water temperature should be tolerable to normal skin. Maintain skin warming for at least 15 minutes or until normal coloring and sensation have returned to the affected area. In case of massive exposure, remove clothing while showering with warm water. Seek medical evaluation and treatment as soon as possible.
- Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.
- Ingestion:** Ingestion of liquid can cause burns similar to frostbite. Never give anything by mouth to an unconscious person. If frostbite occurs, seek medical attention immediately.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

- Eye:** Liquid can cause burns similar to frostbite.
- Skin:** Dermal contact with rapidly evaporating liquid could result in freezing of the tissues or frostbite.
- Inhalation:** No known significant effects or critical hazards.
- Ingestion:** Ingestion of liquid can cause burns similar to frostbite.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

- Note to Physicians:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific Treatments:** No specific treatments.

Section 5: FIRE-FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

- Suitable Extinguishing Media:** Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable Extinguishing Media:** None known

5.2 SPECIAL HAZARDS ARISING FROM THE CHEMICAL



SAFETY DATA SHEET

Products of Combustion: May include, and are not limited to oxides of carbon, halogenated compounds

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems. Stop flow of product if safe to do so. Use water spray or fog to knock down fire fumes if possible.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate area. Remove sources of ignition. Keep unnecessary personnel away. Ruptured cylinders may rocket.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment: Prevent further leakage or spillage if safe to do so. Ventilate area using forced ventilation, especially low or enclosed places where heavy vapors might collect.

Methods for Cleaning-Up: Sweep up or gather material and place in appropriate container for disposal. Allow gas to dissipate.

Section 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Handling: Keep away from heat, open flames, or other sources of ignition. Avoid contact with eyes. Avoid contact with skin. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in a well-ventilated area. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

General Hygiene Advice: Handle in accordance with good industrial hygiene and safety practice.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage: Keep out of the reach of children. Keep container tightly closed and in a well-ventilated place. Do not store at temperatures above 49 °C / 120 °F. (See section 10)

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

Occupational Exposure Limits		
Ingredient	OSHA-PEL	ACGIH-TLV
1,1,1,2-Tetrafluoroethane	Not available	Not available

8.2 EXPOSURE CONTROLS

Engineering Controls: Use ventilation adequate to keep exposures below recommended exposure limits.



SAFETY DATA SHEET

8.3 INDIVIDUAL PROTECTIVE MEASURES

Personal Protective Equipment:

Eye/Face Protection:	Safety glasses or goggles are recommended when using product.
Skin Protection:	Wear suitable protective clothing.
Hand protection:	Wear suitable gloves.
Body Protection:	Wear suitable protective clothing.
Respiratory Protection:	In case of insufficient ventilation, wear suitable respiratory equipment.
General Health and Safety Measures:	Handle according to established industrial hygiene and safety practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear
Color:	Colorless
Odor:	Ethereal
Odor Threshold:	Not available.
Physical State:	Gas/Pressurized Liquid
pH:	Not available.
Melting Point/Freezing Point:	Not available.
Initial Boiling Point and Boiling Range:	-25.6°C @ 736 mmHg
Flash Point:	Not available
Evaporation Rate:	> 1 (CCl ₄ = 1)
Flammability:	No data available
Lower Flammability/Explosive Limit:	Not available.
Upper Flammability/Explosive Limit:	Not available.
Vapor Pressure:	96 psig @ 25°C
Vapor Density:	3.6 (Air = 1) @ 25°C
Relative Density/Specific Gravity:	1.208 @ 25°C
Solubility in Water:	Negligible
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	Not available.
Explosive Properties:	Not available.
Oxidizing Properties:	Not available.



SAFETY DATA SHEET

Section 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Will not occur.

10.4 CONDITIONS TO AVOID

None under recommended storage and handling conditions (see section 7).

10.5 INCOMPATIBLE MATERIALS

Oxidizers. Bases. Alkaline earth metals.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include but are not limited to oxides of carbon, fluorine, hydrogen fluoride, carbonyl fluoride.

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure: Eye contact, skin contact, and inhalation

Symptoms related to physical/chemical/toxicological characteristics:

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Contact with liquefied gas may cause frostbite.

Skin: May cause skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. Contact with liquefied gas may cause frostbite.

Ingestion: Not a normal route of entry. May cause stomach distress, nausea, or vomiting.

Inhalation: Excess intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).

Acute Toxicity:

Ingredient	LD ₅₀ (oral)	LC ₅₀ (inhalation)
1,1,1,2-Tetrafluoroethane	Not available.	1500 gm/m ³ 4 hour, rat

Calculated overall Chemical Acute Toxicity Values

LC ₅₀ (inhalation)	LD ₅₀ (oral)	LD ₅₀ (dermal)
Not available.	Not available	Not available.



SAFETY DATA SHEET

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
1,1,1,2-Tetrafluoroethane	Not listed.

* See Section 15 for more information.

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation:	Based on available data, the classification criteria are not met.
Serious Eye Damage/Irritation:	Based on available data, the classification criteria are not met.
Respiratory Sensitization:	Based on available data, the classification criteria are not met.
Skin Sensitization:	Based on available data, the classification criteria are not met.
STOT-Single Exposure:	Based on available data, the classification criteria are not met.
Chronic Health Effects:	
Carcinogenicity:	Based on available data, the classification criteria are not met.
Germ Cell Mutagenicity:	Based on available data, the classification criteria are not met.
Reproductive Toxicity:	
Developmental:	Based on available data, the classification criteria are not met.
Fertility:	Based on available data, the classification criteria are not met.
STOT-Repeated Exposure:	Based on available data, the classification criteria are not met.
Aspiration Hazard:	Based on available data, the classification criteria are not met.
Toxicologically Synergistic Materials:	Not available.
Other Information:	Not available.

Section 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Acute/Chronic Toxicity: No ecological damage caused by this product.

12.2 PERSISTENCE AND DEGRADABILITY

Not readily biodegradable

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Low potential

12.4 MOBILITY IN SOIL

Not available.

12.5 OTHER ADVERSE EFFECTS

Not available.



SAFETY DATA SHEET

Section 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal Method: The material and container must be disposed of in a safe way. Dispose in accordance with all applicable regulations.

Other disposal recommendations: Not available.

Section 14: TRANSPORT INFORMATION

14.1 UN NUMBER

UN3159

14.2 UN PROPER SHIPPING NAME

1,1,1,2-Tetrafluoroethane

14.3 TRANSPORT HAZARD CLASS (ES)

Class 2.2 - Non-flammable compressed gas

14.4 PACKING GROUP

Not applicable.

14.5 ENVIRONMENTAL HAZARDS

Not available.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

SDS prepared pursuant to the Hazard Communication Standard (29CFR1910.1200) HazCom 2012

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
1,1,1,2-Tetrafluoroethane	Not listed.	Not listed.	Not listed.	Not listed.

State Regulations

California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.



SAFETY DATA SHEET

Global Inventories:

Ingredient	USA TSCA
1,1,1,2-Tetrafluoroethane	Yes.

NFPA National Fire Protection Association:	
Health:	0
Fire:	1
Reactivity:	0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65 California Proposition 65

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

- A1 - Confirmed human carcinogen.
- A2 - Suspected human carcinogen.
- A3 - Animal carcinogen.
- A4 - Not classifiable as a human carcinogen.
- A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

- 1 - The agent (mixture) is carcinogenic to humans.
- 2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.
- 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.
- 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.
- 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

- 1 - Known to be carcinogens.
- 2 - Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Date of Preparation: March 18, 2016

Version: 3.0

Revision Date: March 18, 2016

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by: International Lubricants, Inc.
 Phone: (800)-333-5823
 www.lubegard.com

Prepared for: International Lubricants Inc.

End of Safety Data Sheet