



## Safety Data Sheet D40 Super Sol

Version 1.0

Revision Date: 06/18/2015

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name** : Super Sol  
**Product Use Description** : VOC Tar/Adhesive Remover

#### Manufacturer or supplier's details

**Company** : Superior Products Co  
**Address** : 6962 State Highway 111  
South Roxana IL 62087  
United States of America

#### Emergency telephone number:

Health North America: 1-800-779-8826  
Health International: 1-800-779-8826

Transport North America: CHEMTREC 800.424.9300

**Additional Information:** : Responsible Party: Product Safety Group  
[E-Mail: sds@superiorproducts.com](mailto:sds@superiorproducts.com)  
SDS Requests: 1-800-779-8826  
SDS Requests Fax: 1-618-254-7421  
Website: [www.superiorproducts.com](http://www.superiorproducts.com)

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 3  
Skin irritation : Category 2  
Eye irritation : Category 2A  
Specific target organ toxicity - single exposure : Category 3 (Central nervous system)  
Specific target organ toxicity - repeated exposure : Category 2 (Liver, Kidney, Central nervous system)  
Specific target organ toxicity - repeated exposure (Oral) : Category 2  
Aspiration hazard : Category 1

#### GHS Label element

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H373 May cause damage to organs through prolonged or repeated exposure if swallowed.  
H373 May cause damage to organs (Liver, Kidney, Central nervous system) through prolonged or repeated exposure.

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.  
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical advice/ attention if you feel unwell.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical



# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

Substance / Mixture : Mixture

### Hazardous components

CAS-No.	Chemical Name	Concentration (%)
64742-47-8	Distillates (pet), hydrotreated light	50 - 70
1330-20-7	Mixed xylenes	10 - 20
64742-94-5	Solvent naphtha (petroleum), heavy arom.	10 - 20
98-06-6	**Butylbenzene, tert-	5 - 10
100-41-4	**Ethylbenzene	5 - 10
527-53-7	**Benzene, 1,2,3,5-tetramethyl-	1 - 5
95-93-2	**Benzene, 1,2,4,5-tetramethyl-	1 - 5
105-05-5	**1,4-Diethylbenzene	1 - 5
488-23-3	**1,2,3,4-Tetramethylbenzene	1 - 5
91-20-3	**Naphthalene	1 - 5
526-73-8	**Benzene, 1,2,5-trimethyl-	1 - 5
1074-43-7	**3-Propyltoluene	1 - 5
95-63-6	**1,2,4-trimethylbenzene	1 - 5
98-82-8	**Cumene	0.1 - 1

**Special Notes:** : \*\* Other substances in the product which may present a health or environmental hazard.

### SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.  
If unconscious place in recovery position and seek medical advice.

In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.  
Do NOT induce vomiting.

**MSDS Number: 100000017706 4 / 29 Super Sol**

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Water spray
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use a water spray to cool fully closed containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

**NFPA Flammable and Combustible Liquids Classification:**  
Flammable Liquid Class IC

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

- concentrations. Vapours can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Take precautionary measures against static discharges.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Open drum carefully as content may be under pressure.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : No smoking.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

CAS-No.	Components	Value type (Form of	Control parameters / Permissi-	Basis
---------	------------	------------------------	--------------------------------	-------

**MSDS Number: 10000017706 6 / 29 Super Sol**

**Safety Data Sheet**  
**Super Sol**

Version 1.0

Revision Date: 06/18/2015

		exposure)	ble concentra- ti on	
64742-47-8	Distillates (pet), hydrotreated light	TWA	500 ppm 2,000	OSHA Z-1
		TWA	200 mg/m <sup>3</sup> (as total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600	OSHA P0
1330-20-7	Mixed xylenes	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA Z-1
64742-94-5	Solvent naphtha (petroleum), heavy arom.	TWA	500 ppm 2,000	OSHA Z-1
		TWA	200 mg/m <sup>3</sup> (as total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600	OSHA P0
100-41-4	**Ethylbenzene	TWA	20 ppm	ACGIH
		TWA	100 ppm 435 mg/m <sup>3</sup>	NIOSH REL
		ST	125 ppm 545 mg/m <sup>3</sup>	NIOSH REL
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA Z-1
		TWA	100 ppm 435 mg/m <sup>3</sup>	OSHA P0
		STEL	125 ppm 545 mg/m <sup>3</sup>	OSHA P0
91-20-3	**Naphthalene	TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH
		TWA	10 ppm 50 mg/m <sup>3</sup>	NIOSH REL
		ST	15 ppm 75 mg/m <sup>3</sup>	NIOSH REL
		TWA	10 ppm 50 mg/m <sup>3</sup>	OSHA Z-1
		TWA	10 ppm 50 mg/m <sup>3</sup>	OSHA P0
		STEL	15 ppm 75 mg/m <sup>3</sup>	OSHA P0
526-73-8	**Benzene, 1,2,5-trimethyl-	TWA	25 ppm 125 mg/m <sup>3</sup>	NIOSH REL
95-63-6	**1,2,4-trimethylbenzene	TWA	25 ppm 125 mg/m <sup>3</sup>	NIOSH REL
98-82-8	**Cumene	TWA	50 ppm	ACGIH
		TWA	50 ppm	NIOSH REL

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

			245 mg/m <sup>3</sup>	
		TWA	50 ppm 245 mg/m <sup>3</sup>	OSHA Z-1
		TWA	50 ppm 245 mg/m <sup>3</sup>	OSHA P0

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
**Ethylbenzene	100-41-4	Sum of mandelic acid and phenyl glyoxylic acid	Urine	End of shift at end of work-week	0.7 g/g creatinine	ACGIH BEI

### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.  
In the case of vapour formation use a respirator with an approved filter.
- Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : clear, colourless

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

---

<b>Odour</b>	<b>: No data available</b>
<b>Odour Threshold</b>	<b>: No data available</b>
<b>pH</b>	<b>: No data available</b>
<b>Freezing Point</b>	<b>: No data available</b>
<b>Boiling Point</b>	<b>: No data available</b>
<b>Flash point</b>	<b>: 27.2 °C (81.0 °F)</b>
<b>Evaporation rate</b>	<b>: No data available</b>
<b>Flammability (solid, gas)</b>	<b>: No data available</b>
<b>Burning rate</b>	<b>: No data available</b>
<b>Upper explosion limit</b>	<b>: No data available</b>
<b>Lower explosion limit</b>	<b>: No data available</b>
<b>Vapour pressure</b>	<b>: No data available</b>
<b>Relative vapour density</b>	<b>: No data available</b>
<b>Relative density</b>	<b>: No data available</b>
<b>Density</b>	<b>: 0.833 g/cm<sup>3</sup></b>
<b>Bulk density</b>	<b>: No data available</b>
<b>Water solubility</b>	<b>: No data available</b>
<b>Solubility in other sol vents</b>	<b>: No data available</b>
<b>Partition coefficient: n-octanol/water</b>	<b>: No data available</b>
<b>Auto-ignition temperature</b>	<b>: No data available</b>
<b>Thermal decomposition</b>	<b>: No data available</b>

---

### SECTION 10. STABILITY AND REACTIVITY

**Reactivity** : No dangerous reaction known under conditions of

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

---

	normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions mentioned.	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: alkalis Chromic acid Strong acids Strong oxidizing agents Strong reducing agents
Hazardous decomposition products	: None known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### **Product:**

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : 27022 ppm Exposure time: 4 h Test atmosphere: gas Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : 4,436 mg/kg Method: Calculation method

##### **Components:**

###### **64742-47-8:**

Acute oral toxicity	: LD50 (rat): > 5,000 mg/kg
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: LD50 (rabbit, male and female): > 2,000 mg/kg Method: Fixed dose procedure GLP: yes Assessment: The substance or mixture has no acute dermal toxicity

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

### **1330-20-7:**

- Acute oral toxicity : LD50 (rat, male): 3,523 mg/kg  
Method: EU Method B.1 (Acute Toxicity, Oral)  
GLP: no
- Acute inhalation toxicity : LC50 (rat, male): 6700 ppm  
Exposure time: 4 h  
Method: Directive 67/548/EEC, Annex V, B.2.  
Assessment: The component/mixture is moderately toxic after short term inhalation.
- Acute dermal toxicity : LD50 (rabbit): 1,100 mg/kg  
Assessment: The component/mixture is moderately toxic after single contact with skin.

### **64742-94-5:**

- Acute oral toxicity : LD50 (rat, male and female): > 5,000 mg/kg
- Acute inhalation toxicity : Remarks: No data available
- Acute dermal toxicity : LD50 (rabbit, male and female): > 2,000

mg/kg **Skin corrosion/irritation**

### **Product:**

Result: Irritating to skin.

### **Components:**

#### **64742-47-8:**

Species: rabbit  
Exposure time: 24 h  
Method: In vivo  
Result: Irritating to skin.

#### **1330-20-7:**

Species: rabbit  
Exposure time: 24 h  
Result: Irritating to skin.

#### **64742-94-5:**

Species: rabbit  
Exposure time: 24 h  
Method: In vivo  
Result: Irritating to skin.  
GLP: yes

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

### Serious eye damage/eye irritation

#### **Product:**

Result: Irritating to eyes.

#### **Components:**

##### **64742-47-8:**

Species: rabbit

Result: Irritating to eyes.

##### **1330-20-7:**

Species: rabbit

Result: Irritating to eyes.

##### **64742-94-5:**

Species: rabbit

Result: Irritating to eyes.

### Respiratory or skin sensitisation

#### **Components:**

##### **64742-47-8:**

Test Type: Buehler Test

Exposure routes: Dermal

Species: guinea pig

Method: In vivo

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

##### **1330-20-7:**

Remarks: No data available

##### **64742-94-5:**

Test Type: Buehler Test

Species: guinea pig

Method: In vivo

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

Remarks: Based on a similar product formulation.

### Germ cell mutagenicity

#### **Product:**

Germ cell mutagenicity- : mutagenicity classification is not possible Assessment

#### **Components:**

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

<b>64742-47-8:</b> Genotoxicity in vitro	: Test Type: Mammalian cell gene mutation assay Test species: Mouse lymphoma cells Metabolic activation: with and without metabolic activation Result: negative GLP: yes
Genotoxicity in vivo	: Test Type: Chromosome aberration assay in vivo Test species: rat (male and female) Cell type: Bone marrow Application Route: Intraperitoneal Exposure time: 6 - 48 hrs Dose: 0, 300, 1000, 3000 mg/kg bw Result: negative GLP: yes
Germ cell mutagenicity-Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
<b>1330-20-7:</b> Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test species: Chinese hamster ovary (CHO) Metabolic activation: with and without metabolic activation Method: Mutagenicity (in vitro mammalian cytogenetic test) Result: negative
	: Test Type: Sister chromatid exchange assay in mammalian cells Test species: Chinese hamster ovary (CHO) Metabolic activation: with and without metabolic activation Result: negative
Genotoxicity in vivo	: Test Type: Dominant lethal assay Test species: mouse Application Route: Subcutaneous Exposure time: 8 wk Dose: 1.0 mL/kg Method: OECD Test Guideline 478 Result: negative GLP: no
Germ cell mutagenicity-effects. Assessment	: Animal testing did not show any mutagenic effects.
<b>64742-94-5:</b> Germ cell mutagenicity-	: Mutagenicity classification not possible from current

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

Assessment data

### **Carcinogenicity**

#### **Product:**

Carcinogenicity - As : Not classifiable as a human  
carcinogen. sessment

#### **Components:**

##### **64742-47-8:**

Species: mouse, (male and female)  
Application Route: Dermal  
Exposure time: 105 wks  
Dose: 0, 25 mg/application  
Frequency of Treatment: 3 days/week  
LOAEL: 25

Result: Limited evidence of carcinogenic effects  
Symptoms: Local irritation, Dermal tumours

Carcinogenicity - As : Not classifiable as a human  
carcinogen. sessment

##### **1330-20-7:**

Species: mouse, (male and female)  
Application Route: Oral  
Exposure time: 103 wk  
Dose: 0, 500 or 1000 mg/kg  
Frequency of Treatment: 5 days/week  
Method: Directive 67/548/EEC, Annex V, B.32.  
Result: did not display carcinogenic properties  
GLP: No data available

Carcinogenicity : Animal testing did not show any carcinogenic effects.  
- Assessment

##### **64742-94-5:**

Carcinogenicity : Not classifiable as a human carcinogen.  
- Assessment

##### **100-41-4:**

Carcinogenicity : Not classifiable as a human carcinogen.  
- Assessment

##### **98-82-8:**

Carcinogenicity : Not classifiable as a human carcinogen.  
- Assessment

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

### Reproductive toxicity

#### **Product:**

Reproductive toxicity - Assessment : No toxicity to reproduction

#### **Components:**

##### **64742-47-8:**

Effects on fertility : Test Type: Fertility  
Species: rat, male and female  
Application Route: Oral  
Dose: 0, 375, 750, 1500 mg/kg/d  
General Toxicity - Parent: NOAEL: 750 mg/kg body weight  
General Toxicity F1: NOAEL: 750 mg/kg body weight  
Fertility: NOAEL:  $\geq$  1,500 mg/kg body weight  
Symptoms: Reduced maternal body weight gain. Reduced offspring weight gain.  
Result: No reproductive effects.

Effects on foetal development

: Species: rat  
Application Route: Oral  
Dose: 0, 500, 1000, 1500, 2000mg/kg  
Duration of Single Treatment: 10 d  
General Toxicity Maternal: NOAEL: 500 mg/kg body weight  
Teratogenicity: NOAEL: 2,000 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Symptoms: Reduced body weight  
Method: OECD Test Guideline 414  
Result: Developmental toxicity occurred at maternal toxicity dose levels, No teratogenic effects.

Reproductive toxicity - Assessment

: Animal testing did not show any effects on fertility. Embryotoxicity classification not possible from current data.

##### **1330-20-7:**

Effects on fertility

: Test Type: Two-generation study  
Species: rat, male and female  
Application Route: Inhalation  
Dose: 0, 25, 100 and 500 ppm  
Duration of Single Treatment: 6 h  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: NOAEC:  $>$  500 ppm  
General Toxicity F1: NOAEC:  $>$  500 ppm  
Early Embryonic Development: NOAEC:  $>$  500 ppm  
Result: No reproductive effects.

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

Effects on foetal development : Species: rat  
Application Route: Inhalation  
Dose: 0, 100, 500, 1000 or 2000 ppm  
Duration of Single Treatment: 14 d  
Frequency of Treatment: 6 hr/day  
General Toxicity Maternal: NOAEC: 500 ppm  
Teratogenicity: NOAEC: > 2,000  
Developmental Toxicity: NOAEC: 100 ppm  
Result: No teratogenic effects., Developmental toxicity occurred at maternal toxicity dose levels

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility. Damage to fetus not classifiable

### 64742-94-5:

Effects on fertility : Test Type: Fertility  
Species: rat, male  
Application Route: Oral  
Dose: 0, 750, 1500, 3000 mg/kg/day  
Duration of Single Treatment: 70 - 90 d  
General Toxicity - Parent: LOAEL: 750 mg/kg body weight  
Fertility: NOAEL: >= 3,000 mg/kg body weight  
Symptoms: Reduced body weight  
Result: No reproductive effects.  
GLP: yes

Effects on foetal development : Species: rat  
Application Route: Oral  
Dose: 0, 500, 1000, 1500, 2000 milligram per kilogram  
Duration of Single Treatment: 10 d  
General Toxicity Maternal: NOAEL: 500 mg/kg body weight  
Teratogenicity: NOAEL: 2,000 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Symptoms: Reduced body weight  
Method: OECD Test Guideline 414  
Result: Developmental toxicity occurred at maternal toxicity dose levels, No teratogenic effects.

Reproductive toxicity - Assessment : Fertility classification not possible from current data.  
Embryotoxicity classification not possible from current data.

### STOT - single exposure

**Product:**No data available

### **Components:**

64742-47-8:

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

1330-20-7:

Exposure routes:	Target Organs:	Assessment:	Remarks
Inhalation	Respiratory system	May cause respiratory irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.	

64742-94-5:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.	

98-06-6:No data available

100-41-4:No data available

527-53-7:No data available

95-93-2:No data available

105-05-5:No data available

488-23-3:No data available

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

91-20-3:No data available

526-73-8:No data available

1074-43-7:No data available

95-63-6:No data available

98-82-8:No data available

### **STOT - repeated exposure**

**Product:**No data available

### **Components:**

**64742-47-8:**No data available

### **1330-20-7:**

<b>Exposure routes:</b>	<b>Target Organs:</b>	<b>Assessment:</b>	<b>Remarks:</b>
	Liver, Kidney, Central nervous system	May cause damage to organs through prolonged or repeated exposure., The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.	

**64742-94-5:**No data available

**98-06-6:**No data available

**100-41-4:**No data available

**527-53-7:**No data available

# Safety Data Sheet

## VOC Tar/Adhesive Remover

Version 1.0

Revision Date: 06/18/2015

**95-93-2:**No data available

**105-05-5:**No data available

**488-23-3:**No data available

**91-20-3:**No data available

**526-73-8:**No data available

**1074-43-7:**No data available

**95-63-6:**No data available

**98-82-8:**No data available

### Repeated dose toxicity

#### Components:

##### **64742-47-8:**

Species: rat, male

LOAEL: 750 mg/kg

Application Route: Oral

Exposure time: 70 - 90 days

Number of exposures: daily

Dose: 0, 750, 1500, 3000 mg/kg/d

GLP: yes

Symptoms: weight loss, Liver effects, Stomach/intestinal disorders

Species: rat, female

NOAEL: 750 mg/kg

Application Route: Oral

Exposure time: 21 wks

Number of exposures: daily

Dose: 0, 325, 750, 1500 mg/kg/d

GLP: yes

Symptoms: weight loss, Liver effects, Stomach/intestinal disorders

Species: mouse, male and female

NOAEL: >= 1000

# Safety Data Sheet

## VOC Tar/Adhesive Remover

Version 1.0

Revision Date: 06/18/2015

Application Route: inhalation (vapour)  
Exposure time: 90 d  
Number of exposures: 24 h/d, daily  
Dose: 0, 500, 1000 mg/m<sup>3</sup>  
GLP: No data available

Species: rat, male and female  
NOAEL: >=0,5  
Application Route: Dermal  
Exposure time: 28 d  
Number of exposures: 6 h/d, 5 d/wk  
Dose: 0, 0.01, 0.05, 0.5 ml/kg bw/d  
Method: OECD Test Guideline 410  
GLP: yes  
Symptoms: Local irritation

Repeated dose toxicity - : Causes skin irritation.  
Assessment

### **1330-20-7:**

Species: rat, male and female  
NOAEL: 250 mg/kg  
Application Route: Oral  
Exposure time: 103 wk  
Number of exposures: 5 d/wk  
Dose: 0, 250 or 500 mg/kg  
Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### **64742-94-5:**

Species: rat, male  
LOAEL: 750 mg/kg  
Application Route: Oral  
Exposure time: 70 - 90 d  
Number of exposures: Daily  
Dose: 0, 750, 1500, 3000 mg/kg/day  
GLP: yes  
Symptoms: weight loss, Local irritation

Repeated dose toxicity - : Causes skin irritation.  
Assessment

### **Aspiration toxicity**

#### **Product:**

May be fatal if swallowed and enters airways.

#### **Components:**

##### **64742-47-8:**

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

May be fatal if swallowed and enters airways.

**1330-20-7:**

May be fatal if swallowed and enters airways.

**64742-94-5:**

May be fatal if swallowed and enters airways.

**Further information**

**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Components:**

**64742-47-8:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 25 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)):  
1 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes

Ecotoxicology Assessment  
Acute aquatic toxicity : Toxic to aquatic life.

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects. **1330-20-7:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1 mg/l  
Exposure time: 24 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata): 4.36 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes
- Ecotoxicology Assessment  
Acute aquatic toxicity : Toxic to aquatic life.
- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects. **64742-94-5:**
- Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes
- Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long

lasting effects. **Persistence and degradability**

### **Product:**

Biodegradability : Remarks: No data available

### **Components:**

#### **64742-47-8:**

Biodegradability : aerobic  
Concentration: 101 mg/l  
Biodegradation: 61 %  
Exposure time: 28 d  
GLP: yes  
Remarks: Readily biodegradable

#### **1330-20-7:**

Biodegradability : Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: 72 %  
Exposure time: 20 d

#### **64742-94-5:**

Biodegradability : aerobic  
Concentration: 2 mg/l  
Biodegradation: 30 %  
Exposure time: 28 d  
Test substance: Solvent naphtha (petroleum), heavy aromatic  
GLP: yes  
Remarks: Not readily biodegradable.

### **Bioaccumulative potential**

### **Components:**

#### **1330-20-7:**

Partition coefficient: n- :log Pow: 2.77 - 3.15  
octanol/water

#### **64742-94-5:**

Partition coefficient: n- :log Pow: 3.2 - 4.5  
octanol/water

#### **91-20-3:**

Partition coefficient: n- : log Pow: 3.4 (25 °C)

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

octanol/water

pH: 7 - 7.5

### 526-73-8:

Partition coefficient: n-octanol/water

: Remarks: No data available

### 95-63-6:

Partition coefficient: n-octanol/water

: Remarks: No data available

### 98-82-8:

Partition coefficient: n-octanol/water

:log Pow: 3.55 (23 °C)

### Mobility in soil

No data available

### Other adverse effects

No data available

### Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues

: Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.

Contaminated packaging

: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

### SECTION 14. TRANSPORT INFORMATION

**IATA (International Air Transport Association):** UN1993, FLAMMABLE LIQUID, N.O.S., (PETROLEUM DISTILLATE, HYDROTREATED LIGHT, MIXED XYLENES) , 3, III, Flash Point:27.2 °C(81.0 °F)

**IMDG (International Maritime Dangerous Goods):** UN1993, FLAMMABLE LIQUID, N.O.S., (PETROLEUM DISTILLATE, HYDROTREATED LIGHT, MIXED XYLENES), 3, III, Marine Pollutant (PETROLEUM DISTILLATE, HYDROTREATED LIGHT, MIXED XYLENES)

**DOT (Department of Transportation):** UN1993, Flammable liquids, n.o.s., (PETROLEUM DISTILLATE, HYDROTREATED LIGHT, MIXED XYLENES), 3, III

### SECTION 15. REGULATORY INFORMATION

**OSHA Hazards** : Flammable liquid, Moderate skin irritant, Moderate eye irritant, Specific target organ toxicity - single exposure, Specific target organ toxicity - repeated exposure, Aspiration hazard

**WHMIS Classification** : B2: Flammable liquid  
D2A: Very Toxic Material Causing Other Toxic Effects  
D2B: Toxic Material Causing Other Toxic Effects

#### EPCRA - Emergency Planning and Community Right-to-Know

##### Act CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Mixed xylenes	1330-20-7	100	526

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

##### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

100-41-4	**Ethylbenzene	5.7 %
91-20-3	**Naphthalene	1.9 %
108-88-3	**Toluene	0.9499 %

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

98-82-8	**Cumene	0.1994 %
71-43-2	**Benzene	0.0038 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489):

1330-20-7	Mixed xylenes	19 %
100-41-4	**Ethylbenzene	5.7 %
108-88-3	**Toluene	0.9499 %
98-82-8	**Cumene	0.1994 %
71-43-2	**Benzene	0.0038 %

### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

1330-20-7	Mixed xylenes	19 %
100-41-4	**Ethylbenzene	5.7 %
91-20-3	**Naphthalene	1.9 %
108-88-3	**Toluene	0.9499 %
71-43-2	**Benzene	0.0038 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

1330-20-7	Mixed xylenes	19 %
100-41-4	**Ethylbenzene	5.7 %
91-20-3	**Naphthalene	1.9 %
108-88-3	**Toluene	0.9499 %
71-43-2	**Benzene	0.0038 %

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

100-41-4	**Ethylbenzene	5.7 %
91-20-3	**Naphthalene	1.9 %

### US State Regulations

#### Massachusetts Right To Know

1330-20-7	Mixed xylenes	10 - 20 %
98-06-6	**Butylbenzene, tert-	5 - 10 %
100-41-4	**Ethylbenzene	5 - 10 %
105-05-5	**1,4-Diethylbenzene	1 - 5 %
91-20-3	**Naphthalene	1 - 5 %
95-63-6	**1,2,4-trimethylbenzene	1 - 5 %
71-43-2	**Benzene	0 - 0.1 %

#### Pennsylvania Right To Know

64742-47-8	Distillates (pet), hydrotreated light	50 - 70 %
1330-20-7	Mixed xylenes	10 - 20 %
64742-94-5	Solvent naphtha (petroleum), heavy arom.	10 - 20 %
98-06-6	**Butylbenzene, tert-	5 - 10 %
100-41-4	**Ethylbenzene	5 - 10 %

# Safety Data Sheet Super Sol

Version 1.0

Revision Date: 06/18/2015

5 2 7 - 5 3 - 7	**Benzene, 1,2,3,5-tetramethyl-	1- 5 %
1 0 5 - 0 5 - 5	**1,4-Diethylbenzene	1- 5 %
9 1 - 2 0 - 3	**Naphthalene	1- 5 %
9 5 - 6 3 - 6	**1,2,4-trimethylbenzene	1- 5 %
1 0 8 - 8 8 - 3	**Toluene	0.1 - 1 %
9 8 - 8 2 - 8	**Cumene	0.1 - 1 %

### New Jersey Right To Know

64742-47-8	Distillates (pet), hydrotreated light	50- 70 %
1530-20-7	Mixed xylenes	10- 20 %
64742-94-5	Solvent naphtha (petroleum), heavy arom.	10- 20 %
9 8 - 0 6 - 6	**Butylbenzene, tert-	5- 10 %
1 0 0 - 4 1 - 4	**Ethylbenzene	5- 10 %
9 1 - 2 0 - 3	**Naphthalene	1- 5 %
9 5 - 6 3 - 6	**1,2,4-trimethylbenzene	1- 5 %
1 0 8 - 8 8 - 3	**Toluene	0.1 - 1 %

### California Prop 65

100-41-4	WARNING! This product contains a chemical known to the State of California to cause cancer.
91-20-3	**Ethylbenzene
98-82-8	**Naphthalene
71-43-2	**Cumene
	**Benzene
108-88-3	WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.
71-43-2	**Toluene
	**Benzene

### The components of this product are reported in the following inventories:

<b>United States TSCA Inventory</b>	: y (positive listing) (On TSCA Inventory)
<b>Canadian Domestic Substances List (DSL)</b>	: y (positive listing) (All components of this product are on the Canadian DSL.)
<b>Australia Inventory of Chemical Substances (AICS)</b>	: y (positive listing) (On the inventory, or in compliance with the inventory)
<b>New Zealand. Inventory of Chemical Substances</b>	: n (Negative listing) (Not in compliance with the inventory)

# Safety Data Sheet

## Super Sol


Version 1.0

Revision Date: 06/18/2015

<b>Japan. ENCS - Existing and New Chemical Substances Inventory</b>	:	n (Negative listing) (Not in compliance with the inventory)
<b>Korea. Korean Existing Chemicals Inventory (KECI)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>Philippines Inventory of Chemicals and Chemical Substances (PICCS)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)
<b>China. Inventory of Existing Chemical Substances in China (IECSC)</b>	:	y (positive listing) (On the inventory, or in compliance with the inventory)

### SECTION 16. OTHER INFORMATION **Further information**

#### NFPA:



Special hazard.

#### HMIS III:

<b>HEALTH</b>	<b>2*</b>
<b>FLAMMABILITY</b>	<b>3</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) [MSDS@nexeosolutions.com](mailto:MSDS@nexeosolutions.com).

**Legacy MSDS:** 000000206734

# Safety Data Sheet

## Super Sol

Version 1.0

Revision Date: 06/18/2015

**Material number:**

788497, 788412, 788411

<b>Key or legend to abbreviations and acronyms used in the safety data sheet</b>			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%