



Safety Data Sheet

Section 1: Identification

Product identifier

- Product Name** • NAPA Echlin Air Intake System Cleaner
Product Code • 2-99102

Relevant identified uses of the substance or mixture and uses advised against

- Recommended use** • For professional use only
Restrictions on use • Read and follow label directions only

Details of the supplier of the safety data sheet

- Manufacturer** • Gold Eagle Co.
 4400 S. Kildare Avenue
 Chicago, IL 60632-4372
 United States
<http://www.goldeagle.com/>
Telephone (General) • 773-376-4400

Emergency telephone number

- Manufacturer** • 1-800-535-5053 - (INFOTRAC #22283)

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

- OSHA HCS 2012**
- Flammable Liquids 2
 - Aspiration 1
 - Skin Irritation 2
 - Eye Irritation 2
 - Acute Toxicity Inhalation 4
 - Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
 - Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
 - Germ Cell Mutagenicity 2
 - Reproductive Toxicity 1B
 - Specific Target Organ Toxicity Repeated Exposure 2

Label elements

OSHA HCS 2012

DANGER



- Hazard statements** • Highly flammable liquid and vapour
 May be fatal if swallowed and enters airways

Causes skin irritation
 Causes serious eye irritation
 Harmful if inhaled
 May cause respiratory irritation
 May cause drowsiness or dizziness
 Suspected of causing genetic defects.
 May damage fertility or the unborn child.
 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

- Prevention** • Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
 Keep container tightly closed.
 Ground and/or bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Do not breathe mists, vapours, and/or spray.
 Wash thoroughly after handling.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/protective clothing/eye protection/face protection.

- Response** • In case of fire: Use appropriate media for extinction.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 Call a POISON CENTER or doctor/physician if you feel unwell.
 If on skin: Wash with plenty of water .
 Take off contaminated clothing and wash before reuse.
 Specific treatment, see supplemental first aid information.
 If skin irritation occurs: Get medical advice/attention.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 Do NOT induce vomiting.
 IF exposed or concerned: Get medical advice/attention.


- Storage/Disposal** • Store in a well-ventilated place. Keep container tightly closed.
 Keep cool.
 Store locked up.
 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Supplemental information • 0 - 15 percent of this product consists of an ingredient of unknown toxicity.

Other hazards

- OSHA HCS 2012** • Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Other information



Section 3 - Composition/Information on Ingredients

Substances

- Material does not meet the criteria of a substance.

Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Xylene	CAS:1330-20-7	0% TO 55%	NDA	OSHA HCS 2012: Flam. Liq. 3; Acute Tox. 4 (Inhl); Skin Irrit. 2; Eye Irrit. 2; Repr. 1B (Inhl); STOT SE 3: Narc.; STOT SE 3: Resp. Irrit.
Isopropyl alcohol	CAS:67-63-0	0% TO 25%	NDA	OSHA HCS 2012: Flam. Liq. 2; Eye Irrit. 2; Muta. 2; Repr. 2; STOT SE 3: Narc.; STOT SE 3: Resp. Irrit.; STOT RE 2 (Eyes, Inhl)
2-Pentanone, 4-hydroxy-4-methyl-	CAS:123-42-2	0% TO 15%	NDA	OSHA HCS 2012: Flam. Liq. 3; STOT SE 3: Narc.; Eye Irrit. 2; Asp. Tox. 1
Petroleum Distillates	CAS:64742-47-8	0% TO 5%	NDA	OSHA HCS 2012:
Confidential ingredient	NDA	0% TO 5%	NDA	OSHA HCS 2012:
Confidential ingredient	NDA	0% TO 5%	NDA	OSHA HCS 2012:

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

- Call a physician or poison control center immediately. If not breathing, give artificial respiration. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Skin

- Remove clothing and wash thoroughly before use. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

Eye

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

- Call a physician or poison control center immediately. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media

- LARGE FIRES: Dry chemical, CO₂, alcohol-resistant foam or water spray.
SMALL FIRES: CO₂ (except for Cyanides), dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media

- No data available.

Firefighting Procedures

- As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions.
Contact may irritate or burn skin and eyes.
Fire fighters should wear complete protective clothing including self-contained breathing apparatus.
Keep out of low areas.

Keep unauthorized personnel away.
 Stay upwind.
 Ventilate closed spaces before entering.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- Flame may be invisible.
 HIGHLY FLAMMABLE: Will be easily ignited by heat, sparks or flames.
 Runoff may create fire or explosion hazard.

Hazardous Combustion Products

- Vapor explosion hazard indoors, outdoors or in sewers.

Advice for firefighters

- Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Avoid contact with skin, eyes, and clothing. Stay upwind. Ventilate the area before entry. Wear a self-contained breathing apparatus and appropriate Personal Protective Equipment (PPE) Do not walk through spilled material.

Emergency Procedures

- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). As an immediate precautionary measure, isolate spill or leak area for at least 100 meters (330 feet) in all directions. Evacuate area. Keep out of low areas. Keep unauthorized personnel away. Stay upwind. Ventilate closed spaces before entering.

Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas. Prevent spreading of vapors through sewers, ventilation systems and confined areas. Runoff from fire control or dilution water may cause pollution.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
 All equipment used when handling the product must be grounded.
 A vapor suppressing foam may be used to reduce vapors.
 Dike far ahead of spill; use dry sand to contain the flow of material.
 Do not flush to sewer or allow to enter waterways.
 Use appropriate Personal Protective Equipment (PPE)
 Use non-sparking equipment when picking up flammable spill.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

- Keep away from fire - No Smoking. Keep away from heat and sparks. Avoid contact with skin, eyes, and clothing. Do not breathe (dust, vapor or spray mist) Use only in well ventilated areas.

Conditions for safe storage, including any incompatibilities

Storage

- Keep away from fire. Store in a well-ventilated place. Keep container tightly closed. Store below 150 F. Store in a well-ventilated place. Keep container tightly closed.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
2-Pentanone, 4-				

hydroxy-4-methyl- (123-42-2)	TWAs	50 ppm TWA	50 ppm TWA; 240 mg/m3 TWA	50 ppm TWA; 240 mg/m3 TWA
Isopropyl alcohol (67-63-0)	TWAs	200 ppm TWA	400 ppm TWA; 980 mg/m3 TWA	400 ppm TWA; 980 mg/m3 TWA
	STELs	400 ppm STEL	500 ppm STEL; 1225 mg/m3 STEL	Not established
Xylene (1330-20-7)	TWAs	100 ppm TWA	Not established	100 ppm TWA; 435 mg/m3 TWA
	STELs	150 ppm STEL	Not established	Not established

Exposure controls

Engineering Measures/Controls

- Prevent vapor build up by providing adequate ventilation during and after use. Use only with adequate ventilation to keep exposures (airborne levels of dust, fume, vapor etc) below recommended exposure limits.

Personal Protective Equipment

Pictograms



Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear safety glasses.

Hands

- Wear appropriate gloves.

Skin/Body

- Wear protective gloves/protective clothing/eye protection/face protection.

General Industrial Hygiene Considerations

- Avoid contact with skin and eyes. Wash hands before eating, drinking, or smoking. Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls

- Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways. Follow best practice for site management and disposal of waste.

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Water white to pale yellow solvent blend.
Color	Water-white to pale yellow.	Odor	No data available
Odor Threshold	No data available		
General Properties			
Boiling Point	160 F(71.1111 C)	Melting Point	No data available
Decomposition Temperature	No data available	pH	No data available
Specific Gravity/Relative Density	= 0.86 Water=1	Water Solubility	Appreciable 10 to 99 %
Viscosity	3 Centistoke (cSt, cS) or mm2/sec @ 40 C(104 F)		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	100 %
VOC (Vol.)	100 %	Volatiles (Wt.)	100 %
Volatiles (Vol.)	100 %		
Flammability			
Flash Point	54 C(129.2 F) TOC (Tagliabue Open Cup)	UEL	No data available

LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		

Section 10: Stability and Reactivity

Reactivity

- No dangerous reaction known under conditions of normal use.

Chemical stability

- Stable under normal temperatures and pressures.

Possibility of hazardous reactions

- Hazardous polymerization will not occur.

Conditions to avoid

- Keep away from heat, sparks, and flame. Store below 150 F. Do not apply heat or flame to container. Keep separate from strong oxidizing agents.

Incompatible materials

- Strong oxidants.

Hazardous decomposition products

- Carbon dioxide and carbon monoxide under incomplete combustion.

Section 11 - Toxicological Information

Information on toxicological effects

		Components
2-Pentanone, 4-hydroxy-4-methyl- (0% TO 15%)	123-42-2	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2520 mg/kg; <i>Behavioral:Tremor; Behavioral:Convulsions or effect on seizure threshold; Liver:Other changes;</i> Inhalation-Human TClO • 1900 mg/m ³ ; <i>Lungs, Thorax, or Respiration:Respiratory depression;</i> Inhalation-Rat TClO • 100000 mg/m ³ 20 Minute(s); <i>Sense Organs and Special Senses:Eye:Conjunctive irritation; Behavioral:Somnolence (general depressed activity);</i> Skin-Rabbit LD50 • 13500 mg/kg; Irritation: Eye-Human • 100 ppm 15 Minute(s); Skin-Rabbit • 500 mg-Open • Mild irritation; Multi-dose Toxicity: Inhalation-Rat TClO • 4494 mg/m ³ 6 Week(s)-Intermittent; <i>Kidney, Ureter, and Bladder:Changes in tubules (including acute renal failure, acute tubular necrosis); Blood:Pigmented or nucleated red blood cells; Nutritional and Gross Metabolic:Gross Metabolite Changes:Weight loss or decreased weight gain;</i> Inhalation-Rat TClO • 1000 mg/m ³ 60 Day(s)-Intermittent; <i>Cardiac:Arrhythmias (including changes in conduction)</i>
Xylene (0% TO 55%)	1330-20-7	Acute Toxicity: Ingestion/Oral-Rat LD50 • 4300 mg/kg; <i>Liver:Other changes; Kidney, Ureter, and Bladder:Other changes;</i> Inhalation-Rat LC50 • 5000 ppm 4 Hour(s); Inhalation-Man LClO • 10000 ppm 6 Hour(s); <i>Behavioral:General anesthetic; Lungs, Thorax, or Respiration:Cyanosis; Blood:Other changes;</i> Inhalation-Human TClO • 200 ppm; <i>Sense Organs and Special Senses:Olfaction:Other changes; Sense Organs and Special Senses:Eye:Conjunctive irritation; Lungs, Thorax, or Respiration:Other changes;</i> Skin-Rabbit LD50 • >1700 mg/kg; Irritation: Eye-Rabbit • 5 mg 24 Hour(s) • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation; Reproductive: Inhalation-Rabbit TClO • 1 g/m ³ 24 Hour(s)(7-20D preg); <i>Reproductive Effects:Effects on Fertility:Abortion;</i> Inhalation-Rat TClO • 50 mg/m ³ 6 Hour(s)(1-21D preg); <i>Reproductive Effects:Effects on Fertility:Post-implantation mortality; Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus); Reproductive Effects:Specific Developmental Abnormalities:Craniofacial (including nose and tongue)</i>
		Acute Toxicity: Ingestion/Oral-Rat LD50 • 5000 mg/kg; <i>Behavioral:General anesthetic;</i> Inhalation-Rat LC50 • 16000 ppm 8 Hour(s); Inhalation-Guinea Pig TClO • 980 mg/m ³ 24 Hour(s); <i>Sense Organs and Special Senses:Ear:Other; Behavioral:General anesthetic; Lungs, Thorax, or Respiration:Other changes;</i> Skin-Rabbit LD50 • 12800 mg/kg; Irritation: Eye-Rabbit • 100 mg • Severe irritation; Skin-Rabbit • 500 mg • Mild irritation; Multi-dose Toxicity: Inhalation-Mouse TClO • 5000 ppm 6 Hour(s) 13 Week(s)-Intermittent; <i>Behavioral:Somnolence (general depressed activity); Liver:Changes in liver weight; Blood:Pigmented or nucleated red blood cells;</i> Inhalation-Rat TClO • 1000 mg/m ³ 6 Hour(s) 4 Week(s)-Intermittent; <i>Sense Organs and Special Senses:Eye:Optic</i>

Isopropyl alcohol (0% TO 25%)	67-63-0	<p>nerve neuropathy; Inhalation-Rat TClO • 500 mg/m³ 4 Hour(s) 122 Day(s)-Intermittent; <i>Liver:Multiple effects</i>; <i>Kidney, Ureter, and Bladder:Other changes</i>; <i>Nutritional and Gross Metabolic:Gross Metabolite Changes:Weight loss or decreased weight gain</i>; Inhalation-Rat TClO • 20 mg/m³ 24 Hour(s) 90 Day(s)-Continuous; <i>Brain and Coverings:Other degenerative changes</i>; <i>Lungs, Thorax, or Respiration:Other changes</i>; <i>Liver:Multiple effects</i>; Inhalation-Rat TClO • 100 mg/m³ 4 Hour(s) 17 Week(s)-Intermittent; <i>Kidney, Ureter, and Bladder:Other changes in urine composition</i>; <i>Blood:Changes in serum composition (e.g., TP, bilirubin cholesterol)</i>; <i>Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:True cholinesterase</i>;</p> <p>Mutagen: Cytogenetic analysis • Inhalation-Rat • 1030 µg/m³ 16 Week(s)-Intermittent;</p> <p>Reproductive: Inhalation-Rat TClO • 3500 ppm 7 Hour(s)(1-19D preg); <i>Reproductive Effects:Effects on Embryo or Fetus:Fetotoxicity (except death, e.g., stunted fetus)</i>; Inhalation-Rat TClO • 10000 ppm 7 Hour(s)(1-19D preg); <i>Reproductive Effects:Effects on Fertility:Pre-implantation mortality</i>; <i>Reproductive Effects:Effects on Fertility:Post-implantation mortality</i>; <i>Reproductive Effects:Effects on Embryo or Fetus:Fetal death</i>; Inhalation-Rat TClO • 7000 ppm 7 Hour(s)(1-19D preg); <i>Reproductive Effects:Specific Developmental Abnormalities:Musculoskeletal system</i></p>
-------------------------------	---------	--

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Inhalation 4 - ATEmix (Inhl) = 7083 ppmV
Aspiration Hazard	OSHA HCS 2012 • Aspiration 1
Carcinogenicity	OSHA HCS 2012 • Data lacking
Germ Cell Mutagenicity	OSHA HCS 2012 • Germ Cell Mutagenicity 2
Skin corrosion/Irritation	OSHA HCS 2012 • Skin Irritation 2
Skin sensitization	OSHA HCS 2012 • Data lacking
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 2
STOT-SE	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
Toxicity for Reproduction	OSHA HCS 2012 • Toxic to Reproduction 1B
Respiratory sensitization	OSHA HCS 2012 • Data lacking
Serious eye damage/Irritation	OSHA HCS 2012 • Eye Irritation 2

Potential Health Effects
Inhalation

- Acute (Immediate)**
 - May cause respiratory irritation. May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death. May be harmful.
- Chronic (Delayed)**
 - No data available

Skin

- Acute (Immediate)**
 - Causes skin irritation. May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.
- Chronic (Delayed)**
 - No data available

Eye

- Acute (Immediate)**
 - Causes serious eye irritation.
- Chronic (Delayed)**
 - No data available

Ingestion

- Acute (Immediate)**
 - May be fatal. Material may be aspirated into lungs during ingestion and/or subsequent vomiting. Aspiration of this material will cause severe lung injury, chemical pneumonitis, pulmonary edema or death.
- Chronic (Delayed)**
 - No data available

Section 12 - Ecological Information

Toxicity

- No data available

Persistence and degradability

- Non-mandatory section - information about this substance not complied for this reason.

Bioaccumulative potential

- Non-mandatory section - information about this substance not complied for this reason.

Mobility in Soil

- Non-mandatory section - information about this substance not complied for this reason.

Other adverse effects

- Non-mandatory section - information about this substance not complied for this reason.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	NDA	NDA	3	II	NDA
	NDA	Limited Quantity	NDA	NDA	NDA

Special precautions for user

- None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications

- Acute, Fire

Other Information

- WARNING: This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

Section 16 - Other Information

Last Revision Date

- 09/June/2015

Preparation Date

- 09/June/2015

Disclaimer/Statement of Liability

- Information presented herein is believed to be factual, as it has been derived from the works and opinions of persons believed to be qualified experts. However, nothing contained in this information is to be taken as warranty or representation for which the Gold Eagle Co. bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.
-