

PURPLE POWER, INC.

Safety Data Sheet

Heavy-Duty Orange Hand Cleaner

SECTION 1: Identification

1.1 Product identifier

Product name Heavy-Duty Orange Hand Cleaner

Product number 6064S, 5015, 5025

1.2 Other means of identification

White to off-White Crème

1.3 Recommended use of the chemical and restrictions on use

To clean grease off of hands and skin.
Do not use on face.

1.4 Supplier's details

Name Aiken Chemical Company, Inc.
Address P.O. Box 27147
Greenville, SC 29616
USA

Telephone 864-968-1250
Fax 864-968-1252
email drayton@clean-rite.com

1.5 Emergency phone number(s) 800-424-9300

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

- Eye damage/irritation (C.4.5), Cat. 2A

2.2 GHS label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H319

Causes serious eye irritation

Precautionary statement(s)

P264

P280

P305+P351+P338

P337+P313

Wash skin thoroughly after handling.

Wear eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

Safety Data Sheet

Heavy-Duty Orange Smooth Waterless Hand Cleaner

3.2 Mixtures

Hazardous components

1. Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics

Concentration 30 - 40 % (weight)
CAS no. 64742-47-8

2. White mineral oil, petroleum

Concentration 1 - 10 % (weight)
CAS no. 8042-47-5

3. Fatty acids, tall oil

Concentration 1 - 10 % (weight)
CAS no. 61790-12-3

4. Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy-

Concentration 1 - 5 % (weight)
CAS no. 160875-66-1

5. 1,2-PROPANEDIOL

Concentration 1 - 5 % (weight)
CAS no. 57-55-6

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

| | |
|-------------------------|---|
| General advice | In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. |
| In case of skin contact | Wash with water and soap as a precaution. Get medical attention if irritation develops and persists. |
| In case of eye contact | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical attention. |
| If swallowed | If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. |

Personal protective equipment for first-aid responders

First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists.

4.2 Most important symptoms/effects, acute and delayed

Prolonged or repeated contact may dry skin and cause irritation. Causes serious eye irritation.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures

Safety Data Sheet

Heavy-Duty Orange Smooth Waterless Hand Cleaner

5.1 Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry chemical Carbon dioxide (CO₂). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.

5.2 Specific hazards arising from the chemical

No data available.

5.3 Special protective actions for fire-fighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure adequate ventilation. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Avoid ingestion and inhalation. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep in properly labeled containers. Store in accordance with the particular national regulations. Do not store with the following product types: Strong oxidizing agents

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics (CAS: 64742-46-8)

PEL-TWA: 5 mg/m³ (OSHA)

Total Ketrul D 95 SDS

REL-TWA: 5 mg/m³ (NIOSH)

Total Ketrul D 95 SDS

STEL: 10 mg/m³ (NIOSH)

Total Ketrul D 95 SDS

TWA: 5 mg/m³ (ACGIH)

Total Ketrul D 95 SDS

2. White mineral oil, petroleum (CAS: 8042-47-5)

TWA: 5 mg/m³; USA (OSHA)

USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

TWA: 5 mg/m³; USA (NIOSH)

USA. NIOSH Recommended

Exposure Limits

Safety Data Sheet

Heavy-Duty Orange Smooth Waterless Hand Cleaner

ST: 10 mg/m³; USA (NIOSH)
USA. NIOSH Recommended Exposure Limits

TWA: 5 mg/m³; USA (ACGIH)
USA. ACGIH Threshold Limit Values
(TLV)

PEL-C: 5 mg/m³ (Cal/OSHA)
California permissible exposure limits for chemical contaminants b(Title 8, Article 107)

3. Fatty acids, tall oil (CAS: 61790-12-3)

TWA (Inhalation): 5 mg/m³ (OSHA)

STEL (Inhalation): 10 mg/m³ (ACGIH)

TWA (Inhalation): 5 mg/m³ (ACGIH)

8.2 Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. In addition to substance specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m³ - total dust, 5 mg/m³ - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m³ - respirable particles, 10 mg/m³ - inhalable particles.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms



Eye/face protection

Distribution, Workplace and Household Settings: No special protective equipment required. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Use appropriate eye protection.

Skin protection

Distribution, Workplace and Household Settings: No special protective equipment required. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): Protective gloves.

Body protection

Choose body protection in relation to its type, to the concentration and number of dangerous substances, and to the specific workplace. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Distribution, Workplace and Household Settings: No special protective equipment required. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): In case of insufficient ventilation wear suitable respiratory equipment

Thermal hazards

No data available.

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Safety Data Sheet

Heavy-Duty Orange Smooth Waterless Hand Cleaner

| | |
|---|--------------------------|
| Appearance/form (physical state, color, etc.) | White to Off-White Crème |
| Odor | Fresh |
| Odor threshold | No data available. |
| pH | 7.5 - 8.5 |
| Melting point/freezing point | ~ 0°C (32°F) |
| Initial boiling point and boiling range | No data available. |
| Flash point | > 100°C (212°F) |
| Evaporation rate | No data available. |
| Flammability (solid, gas) | No data available. |
| Upper/lower flammability limits | No data available. |
| Upper/lower explosive limits | No data available. |
| Vapor pressure | No data available. |
| Vapor density | No data available. |
| Relative density | 0.883 g/cm ³ |
| Solubility(ies) | Water: Complete |
| Partition coefficient: n-octanol/water | No data available. |
| Auto-ignition temperature | No data available. |
| Decomposition temperature | No data available. |
| Viscosity | 1.5 - 2.5 mcp |
| Explosive properties | No data available. |
| Oxidizing properties | No data available. |

SECTION 10: Stability and reactivity

10.1 Reactivity

None under normal use conditions.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal use conditions.

10.4 Conditions to avoid

None under normal use conditions.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Product:

Not Classified based on available information.

Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation

Ingredients:

Safety Data Sheet

Heavy-Duty Orange Smooth Waterless Hand Cleaner

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics: LD50 > 5000 mg/kg bw (rat - OECD 401)
LD50 (24h) > 3160 mg/kg bw (rabbit - OECD 402)
LC50 (4h) > 5266 mg/m³ (aerosol) (rat - OECD 403)

White mineral oil, petroleum: LD50 Oral - Rat - male and female - > 5,000 mg/kg (OECD Test Guideline 401)
LC50 Inhalation - Rat - male and female - 4 h - > 5 mg/l (OECD Test Guideline 403)
LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Fatty acids, tall oil: LD50 Oral Rat > 10000 mg/kg
LD50 Skin Rabbit > 2000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics: Skin - Rabbit Result: No skin irritation - 4 h
Assessment: Repeated exposure may cause skin dryness or cracking.

White mineral oil, petroleum: Skin - Rabbit
Result: No skin irritation (OECD Test Guideline 404)

Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy-: Species: rabbit
Result: Irritant. Method: OECD Guideline 404

1,2-PROPANEDIOL: Skin - Rabbit
Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/irritation

Product:

Causes serious eye irritation.

Ingredients:

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics: Eyes - Rabbit Result: No eye irritation

White mineral oil, petroleum: Eyes - Rabbit
Result: No eye irritation (OECD Test Guideline 405)

Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy-: Species: rabbit
Result: Risk of serious damage to eyes. Method: OECD Guideline 405

1,2-PROPANEDIOL: Eyes - Rabbit
Result: Mild eye irritation

Safety Data Sheet

Heavy-Duty Orange Smooth Waterless Hand Cleaner

Respiratory or skin sensitization

Product:

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Ingredients:

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics: Draize Test - Guinea pig Result: Does not cause skin sensitization.

White mineral oil, petroleum: Buehler Test - Guinea pig
Did not cause sensitization on laboratory animals. (OECD Test Guideline 406)

Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy-: Assessment of sensitization: Based on the structure, there is no suspicion of a skin-sensitizing potential.

Guinea pig maximization test Species: guinea pig Result:

Skin sensitizing effects were not observed in animal studies. Method: OECD Guideline 406

Germ cell mutagenicity

Product:

Not classified based on available information.

Ingredients:

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics: reverse mutation assay S. typhimurium Result: negative

White mineral oil, petroleum: in vitro assay S. typhimurium Result: negative

Carcinogenicity

Product:

Not classified based on available information

Ingredients:

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

1,2-PROPANEDIOL: IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

Safety Data Sheet

Heavy-Duty Orange Smooth Waterless Hand Cleaner

Product:

Not classified based on available information.

STOT-single exposure

Product:

Not classified based on available information.

STOT-repeated exposure

Product:

Not classified based on available information.

Aspiration hazard

Product:

No aspiration toxicity classification

Ingredients:

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

White mineral oil, petroleum:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Additional information

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics: Prolonged or repeated exposure to skin causes defatting and dermatitis, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

White mineral oil, petroleum: Rat - female - Oral - NOAEL: 1,600 mg/kg - LOAEL: 160 mg/kg - OECD Test Guideline 408 RTECS: PY8047000

Aspiration may lead to lipid pneumonia, Effects due to ingestion may include laxative effect, Gastrointestinal disturbance, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

Toxicity

Ingredients:

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics:

Toxicity to fish LC50 - *Oncorhynchus mykiss* (rainbow trout) - 2.9 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates static test EC50 - *Daphnia magna* (Water flea) - 1.4 mg/l - 48 h (OECD Test Guideline 202)

White mineral oil, petroleum:

Toxicity to fish static test LC50 - *Oncorhynchus mykiss* (rainbow trout) - > 100 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates static test LC50 - *Daphnia magna* (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

Safety Data Sheet

Heavy-Duty Orange Smooth Waterless Hand Cleaner

Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy-:
Aquatic invertebrates EC50 (48 h) > 10 - 100 mg/l, Daphnia magna Analogous: Assessment derived from products with similar chemical character. Aquatic plants EC50 (72 h) > 10 - 100 mg/l, Scenedesmus subspicatus Analogous: Assessment derived from products with similar chemical character. Chronic toxicity to fish No observed effect concentration > 1 mg/l Literature data. No data available concerning terrestrial toxicity.

Persistence and degradability

Ingredients:

Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics:

Result: Readily biodegradable.

Biodegradation: 82 %

Exposure time: 24 d

Method: OECD Test Guideline 301F

White mineral oil (petroleum):

Result: Not readily biodegradable.

Biodegradation: 31 %

Exposure time: 28 d

Poly(oxy-1,2-ethanediyl), alpha-(2-propylheptyl)-omega-hydroxy-:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 95 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

Propylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98.3 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

Bioaccumulative potential

Ingredients:

Propylene glycol:

Partition coefficient: noctanol/water :

log Pow: -1.07

Mobility in soil

No data available.

Results of PBT and vPvB assessment

No data available.

SECTION 13: Disposal considerations

Disposal of the product

Dispose of in accordance with local regulations.

Disposal of contaminated packaging

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

Safety Data Sheet

Heavy-Duty Orange Smooth Waterless Hand Cleaner

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health, and environmental regulations specific for the product in question

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts Right to Know Components

Distillates (petroleum), hydrotreated light, kerosene - unspecified
CAS-No. 64742-47-8

New Jersey Right to Know Components

Distillates (petroleum), hydrotreated light, kerosene - unspecified
CAS-No. 64742-47-8

Mineral oil

CAS-No. 8042-47-5

PROPYLENE GLYCOL

CAS number: 57-55-6

Pennsylvania Right to Know Components

Distillates (petroleum), hydrotreated light, kerosene - unspecified
CAS-No. 64742-47-8

Mineral oil

CAS-No. 8042-47-5

PROPYLENE GLYCOL

CAS number: 57-55-6

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 311-312

Hazard Categories): Acute

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

15.2 Chemical Safety Assessment

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard


HMIS Rating

| HD Orange Smooth Hand Cleaner | |
|-------------------------------|---|
| HEALTH | 1 |
| FLAMMABILITY | 1 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | |

Safety Data Sheet

Heavy-Duty Orange Smooth Waterless Hand Cleaner

NFPA Rating



SECTION 16: Other information

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one

half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or biological material

fw = fresh water

mw = marine water

SCBA = Self Contained Breathing Apparatus

Legend

Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values

PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average

STEL - Short Term Exposure Limits

S* - Skin notation

TSCA - Toxic Substance Control Act

16.1 Further information/disclaimer

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship. Safety Data Sheet information is based on the individual ingredients Safety Data Sheets provided by the supplier.

16.2 Preparation information

Purple Power, Inc.

P.O. Box 27147

Greenville, SC, 29616

864-968-1250

800-828-1860

864-968-1252 (fax)