



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

SAFETY DATA SHEET

# Rislone Diesel DEF Treatment

## SECTION 1: IDENTIFICATION

### 1.1. Product identifier

*Trade name:* Rislone Diesel DEF Treatment  
*Product no.:* 4780

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* Additive  
*Uses advised against :* None known.

### 1.3. Details of the supplier of the safety data sheet

▼ *Company and address:* **Rislone**  
P.O. Box 187  
Holly, MI 48442  
USA  
(810) 603-1321  
www.rislone.com

▼ *E-mail:* support@rislone.com

*SDS date:* 06 May 2024

*SDS Version:* 5.0

*Date of previous version:* 22 March2024 (4.0)

### 1.4. Emergency telephone number

ChemTel Inc.  
(800) 255-3924 (North America)  
+1 (813) 248-0585 (International)

## SECTION 2: HAZARD(S) IDENTIFICATION

### OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

### 2.1. ▼ Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation.  
Eye Dam. 1; H318, Causes serious eye damage.

### 2.2. Label elements

*Hazard pictogram(s):*



*Signal word:*

Danger



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

▼ <i>Hazard statement(s):</i>	Causes skin irritation. (H315) Causes serious eye damage. (H318)
<i>Precautionary statement(s):</i>	
<i>General:</i>	If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102)
▼ <i>Prevention:</i>	Wash hands and exposed skin thoroughly after handling. (P264) Wear eye protection/protective gloves/protective clothing. (P280)
<i>Response:</i>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310)
<i>Storage:</i>	-
<i>Disposal:</i>	-
<i>Additional labelling:</i>	Not applicable.

**2.3. Other hazards**

*Additional warnings:* This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substances**

Not applicable. This product is a mixture.

**3.2. ▼ Mixtures**

Product/substance	Identifiers	% w/w	Classification	Note
Alcohols, C12-16, ethoxylated	CAS No.: 68551-12-2	10-15%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	[19]
D-Glucopyranose, oligomers, decyl octyl glycosides	CAS No.: 68515-73-1	5-10%	Eye Dam. 1, H318	[19]

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

## Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

## SECTION 4: FIRST-AID MEASURES

### 4.1. ▼ Description of first aid measures

*General information:*

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

*Inhalation:*

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

▼ *Skin contact:*

IF ON SKIN: Wash with plenty of water and soap. Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.

*Eye contact:*

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

*Ingestion:*

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

*Burns:*

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

IF exposed or concerned:  
Get immediate medical advice/attention.

### **Information to medics**

Bring this safety data sheet or the label from this product.

## **SECTION 5: FIRE-FIGHTING MEASURES**

### **5.1. Extinguishing media**

Not applicable.

### **5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

### **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid direct contact with spilled substances.  
Ensure adequate ventilation, especially in confined areas.  
Contaminated areas may be slippery.

### **6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.  
Keep unauthorized persons away from the spill

### **6.3. Methods and material for containment and cleaning up**

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.  
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.  
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### **6.4. Reference to other sections**

See section 13 "Disposal considerations" on handling of waste.  
See section 8 "Exposure controls/personal protection" for protective measures.

## **SECTION 7: HANDLING AND STORAGE**

### **7.1. Precautions for safe handling**

Avoid direct contact with the product.  
Smoking, drinking and consumption of food is not allowed in the work area.  
See section 8 "Exposure controls/personal protection" for information on personal protection.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

## 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

*Recommended storage material:*

Always store in containers of the same material as the original container.

*Storage temperature:*

Dry, cool and well ventilated  
Tightly closed container

*Incompatible materials:*

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

## 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. ▼ Control parameters

sodium hydroxide;caustic soda

Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 2

Long term exposure limit (ACGIH TLV) (mg/m<sup>3</sup>): (Ceiling) 2

Ceiling value (NIOSH REL) (mg/m<sup>3</sup>): 2

Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

## 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*

There are no exposure scenarios implemented for this product.

▼ *Exposure limits:*

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

▼ *Appropriate technical measures:*

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Ensure that eyewash stations and safety showers are located within easy reach. Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼ *Hygiene measures:*

Take off contaminated clothing and wash it before reuse.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

*Measures to avoid environmental exposure:* No specific requirements.

**Individual protection measures, such as personal protective equipment**


*Generally:* Use only protective equipment with a recognized certification mark, e.g. the UL mark.

*Respiratory Equipment:*

Type	Class	Colour	Standards
No special when used as intended.			


*Skin protection:*

Recommended	Type/Category	Standards
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-




*Hand protection:*

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Gloves	-	-	EN374



*Eye protection:*

Type	Standards
Safety glasses with side shields.	EN166



**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

*Physical state:* Liquid  
*Colour:* Clear, Blue  
*Odour:* No data available  
*Odour threshold (ppm):* No data available  
*pH:* No data available  
*Density (g/cm<sup>3</sup>):* Testing not relevant or not possible due to the nature of the product.  
 -  
*Relative density:* 1  
*Kinematic viscosity:* No data available  
*Particle characteristics:* No data available



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

## Phase changes

<i>Melting point (°F):</i>	No data available
<i>Softening point/range (waxes and pastes) (°F):</i>	Does not apply to liquids.
<i>Boiling point (°F):</i>	No data available
<i>Vapour pressure:</i>	No data available
<i>Relative vapour density:</i>	No data available
<i>Decomposition temperature (°F):</i>	No data available

## Data on fire and explosion hazards

<i>Flash point (°F):</i>	No data available
<i>Flammability (°F):</i>	No data available
<i>Auto-ignition temperature (°F):</i>	No data available
<i>Explosion limits (% v/v):</i>	No data available

## Solubility

<i>Solubility in water:</i>	Testing not relevant or not possible due to the nature of the product.
<i>n-octanol/water coefficient (LogKow):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Solubility in fat (g/L):</i>	Testing not relevant or not possible due to the nature of the product.

## 9.2. Other information

<i>Evaporation rate (n-butylacetate = 100):</i>	No data available
<i>Other physical and chemical parameters:</i>	No data available.
<i>Oxidizing properties:</i>	No data available

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: TOXICOLOGICAL INFORMATION



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

---

## 11.1. Information on toxicological effects

### Acute toxicity

Based on available data, the classification criteria are not met.

### ▼ Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/irritation

Causes serious eye damage.

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

### Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Long term effects

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

### Other information

None known.

---

## SECTION 12: ECOLOGICAL INFORMATION

---

### 12.1. Toxicity

No data available.

### 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### 12.6. Other adverse effects



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)

None of the components are listed

### Specific labelling

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

### Additional information

Not dangerous goods according to DOT, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. ▼ U.S. Federal regulations

*TSCA (the non-confidential portion):*

Alcohols, C12-16, ethoxylated is listed  
D-Glucopyranose, oligomers, decyl octyl glycosides is listed  
sodium hydroxide;caustic soda is listed

*Clean Air Act:*

None of the components are listed

*EPCRA Section 302:*

None of the components are listed

*EPCRA Section 304:*

None of the components are listed

*EPCRA section 313:*

None of the components are listed

▼ *CERCLA:*

sodium hydroxide;caustic soda is regulated with a Reportable Quantity (RQ) of: 1000



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

pounds

### ▼ State regulations

*California / Prop. 65:*

Alcohols, C12-16, ethoxylated is known to cause: Carcinogen

▼ *Massachusetts / Right To Know Act:*

—  
Alcohols, C12-16, ethoxylated is listed  
sodium hydroxide;caustic soda is listed

▼ *New Jersey / Right To Know Act:*

Alcohols, C12-16, ethoxylated / Substance number:

—  
sodium hydroxide;caustic soda / Substance number: 1706

sodium hydroxide;caustic soda is on the Special Health Hazard Substance List

▼ *New York / Right To Know Act:*

—  
sodium hydroxide;caustic soda is listed  
sodium hydroxide;caustic soda is regulated with a Reportable Quantity (RQ) of: 1000 pounds

sodium hydroxide;caustic soda is regulated with a Treshold Reporting Quantity (TRQ) of: 100 pounds

▼ *Pennsylvania / Right To Know Act:*

—  
Alcohols, C12-16, ethoxylated is listed

—  
sodium hydroxide;caustic soda is listed  
sodium hydroxide;caustic soda is hazardous to the environment (E)

### 15.4. Restrictions for application

No special.

### 15.5. Demands for specific education

No specific requirements.

### 15.6. Additional information

Not applicable.

### 15.7. Chemical safety assessment

No

### 15.8. Sources

OSHA Hazard Communication Standard (29 CFR 1910.1200)

## SECTION 16: OTHER INFORMATION

### Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

---

## **The full text of identified uses as mentioned in section 1**

None known.

## **Abbreviations and acronyms**

ACGIH = American Conference of Governmental Industrial Hygienists  
ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CERCLA = Comprehensive Environmental Response Compensation and Liability Act  
DOT = Department of Transportation  
EINECS = European Inventory of Existing Commercial chemical Substances  
EPCRA = Emergency Planning and Community Right-To-Know Act  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
HCIS = Hazardous Chemical Information System  
HNOC = Hazards Not Otherwise Classified  
IARC = International Agency for Research on Cancer  
IATA = International Air Transport Association  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NFPA = National Fire Protection Association  
NIOSH = National Institute for Occupational Safety and Health  
OECD = Organisation for Economic Co-operation and Development  
OSHA = Occupational Safety and Health Administration  
PBT = Persistent, Bioaccumulative and Toxic  
RCRA = Resource Conservation and Recovery Act  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SARA = Superfund Amendments and Reauthorization Act  
SCL = A specific concentration limit.  
STEL = Short-term exposure limits  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TSCA = The Toxic Substances Control Act  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

## **Additional information**

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

## **▼ The safety data sheet is validated by**

NL

## **Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

---

marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en