



SAFETY DATA SHEET

1. Identification

Product identifier	Aluminex™ Pontoon & Aluminum Hull Cleaner	
Other means of identification		
Product Code	No. MK3132 (Item# 1007594)	
Recommended use	Cleaner for aluminum hulls	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufactured or sold by:		
Company name	CRC Industries, Inc.	
Address	885 Louis Dr. Warminster, PA 18974 US	
Telephone		
General Information	215-674-4300	
Technical Assistance	800-521-3168	
Customer Service	800-272-4620	
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)	
Website	www.crcindustries.com	

2. Hazard(s) identification

Physical hazards	Corrosive to metals	Category 1
Health hazards	Skin corrosion/irritation	Category 1B
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.
Precautionary statement	
Prevention	Keep only in original container. Do not breathe mist or vapor. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Absorb spillage to prevent material damage.
Storage	Store locked up. Store in corrosive resistant container with a resistant inner liner.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
water		7732-18-5	90 - 100
ammonium bifluoride		1341-49-7	1 - 5
hydrochloric acid		7647-01-0	1 - 5
phosphoric acid		7664-38-2	1 - 5

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. If respiratory irritation, dizziness, or unconsciousness occurs, seek immediate medical assistance.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Probable mucosal damage may contraindicate the use of gastric lavage.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	This product is miscible in water. Should not be released into the environment. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Provide adequate ventilation. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage. For product usage instructions, see the product label.

Conditions for safe storage, including any incompatibilities Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container. Keep container tightly closed.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
ammonium bifluoride (CAS 1341-49-7)	PEL	2.5 mg/m3
hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/m3
		5 ppm
phosphoric acid (CAS 7664-38-2)	PEL	1 mg/m3

US. OSHA Table Z-2 (29 CFR 1910.1000)

Components	Type	Value	Form
ammonium bifluoride (CAS 1341-49-7)	TWA	2.5 mg/m3	Dust.

US. ACGIH Threshold Limit Values

Components	Type	Value
ammonium bifluoride (CAS 1341-49-7)	TWA	2.5 mg/m3
hydrochloric acid (CAS 7647-01-0)	Ceiling	2 ppm
phosphoric acid (CAS 7664-38-2)	STEL	3 mg/m3
	TWA	1 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
ammonium bifluoride (CAS 1341-49-7)	TWA	2.5 mg/m3
hydrochloric acid (CAS 7647-01-0)	Ceiling	7 mg/m3
		5 ppm
phosphoric acid (CAS 7664-38-2)	STEL	3 mg/m3
	TWA	1 mg/m3

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
ammonium bifluoride (CAS 1341-49-7)	3 mg/l	Fluoride	Urine	*
	2 mg/l	Fluoride	Urine	*

* - For sampling details, please see the source document.

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower should be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles) and a face shield.
Skin protection	
Hand protection	Wear protective gloves such as: Latex. Neoprene.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an acid gas cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties**Appearance**

Physical state	Liquid.
Form	Liquid.
Color	Colorless.
Odor	Acid.
Odor threshold	Not available.
pH	< 1
Melting point/freezing point	-173.6 °F (-114.2 °C) estimated
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	None.
Evaporation rate	Similar to water.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	1.05
Solubility(ies)	
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Percent volatile	91 % estimated

10. Stability and reactivity

Reactivity	Reacts violently with strong alkaline substances. This product may react with reducing agents. May be corrosive to metals.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Temperatures above 50 °C or below 10 °C. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as Hydrogen chloride and Phosgene. Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials Bases. Strong oxidizing agents. Reducing agents. Metals. Bleach.
Hazardous decomposition products Hydrogen chloride. Phosgene.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.
Skin contact Causes severe skin burns.
Eye contact Causes serious eye damage.
Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
Aluminex™ Pontoon & Aluminum Hull Cleaner		
Acute		
Oral		
LD50	Rat	> 2000 mg/kg
Components		
Species		
Test Results		
ammonium bifluoride (CAS 1341-49-7)		
Acute		
Oral		
LD50	Rat	130 mg/kg
hydrochloric acid (CAS 7647-01-0)		
Acute		
Dermal		
LD50	Mouse	1449 mg/kg
phosphoric acid (CAS 7664-38-2)		
Acute		
Dermal		
LD50	Rabbit	2740 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye irritation Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

ammonium bifluoride (CAS 1341-49-7) 3 Not classifiable as to carcinogenicity to humans.

hydrochloric acid (CAS 7647-01-0) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Product	Species	Test Results
Aluminex™ Pontoon & Aluminum Hull Cleaner		
Aquatic		
Fish	LC50	Fish 9400 mg/l, 96 hours estimated
Components	Species	Test Results
hydrochloric acid (CAS 7647-01-0)		
Aquatic		
Fish	LC50	Western mosquitofish (Gambusia affinis) 282 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	This material and its container must be disposed of as hazardous waste. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or >=12.5, or corrosive to steel]
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information


DOT	
UN number	UN2922
UN proper shipping name	Corrosive liquids, toxic, n.o.s. (hydrochloric acid RQ = 166667 LBS, phosphoric acid RQ = 166667 LBS, ammonium bifluoride RQ = 3333 LBS), Limited Quantity
Transport hazard class(es)	
Class	8
Subsidiary risk	6.1
Label(s)	8, 6.1
Packing group	II
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B3, IB2, T7, TP2
Packaging exceptions	154
Packaging non bulk	202
Packaging bulk	243
IATA	
UN number	UN2922
UN proper shipping name	Corrosive liquid, toxic, n.o.s. (hydrochloric acid, phosphoric acid, ammonium bifluoride)
Transport hazard class(es)	
Class	8
Subsidiary risk	6.1
Packing group	II
ERG Code	8P
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed with restrictions.
Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN2922
UN proper shipping name CORROSIVE LIQUID, TOXIC, N.O.S. (hydrochloric acid, phosphoric acid, ammonium bifluoride), Limited Quantity
Transport hazard class(es)
Class 8
Subsidiary risk 6.1
Packing group II
Environmental hazards
Marine pollutant No
EmS F-A, S-B
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT; IMDG**IATA****15. Regulatory information**

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

hydrochloric acid (CAS 7647-01-0) 5000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

AMMONIA (INCLUDES ANHYDROUS AMMONIA AND AQUEOUS AMMONIA FROM WATER DISSOCIABLE AMMONIUM SALTS AND OTHER SOURCES; 10% OF TOTAL AQUEOUS AMMONIA IS REPORTABLE UNDER THIS LISTING) (CAS 1341-49-7)

HYDROCHLORIC ACID (ACID AEROSOLS INCLUDING MISTS, VAPORS, GAS, FOG, AND OTHER AIRBORNE FORMS OF ANY PARTICLE SIZE) (CAS 7647-01-0)

CERCLA Hazardous Substance List (40 CFR 302.4)

ammonium bifluoride (CAS 1341-49-7) Listed.
hydrochloric acid (CAS 7647-01-0) Listed.
phosphoric acid (CAS 7664-38-2) Listed.

CERCLA Hazardous Substances: Reportable quantity

ammonium bifluoride (CAS 1341-49-7) 100 LBS

hydrochloric acid (CAS 7647-01-0) 5000 LBS
phosphoric acid (CAS 7664-38-2) 5000 LBS

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

hydrochloric acid (CAS 7647-01-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

hydrochloric acid (CAS 7647-01-0)

Safe Drinking Water Act (SDWA) Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

hydrochloric acid (CAS 7647-01-0) 6545

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

hydrochloric acid (CAS 7647-01-0) 20 %WV

DEA Exempt Chemical Mixtures Code Number

hydrochloric acid (CAS 7647-01-0) 6545

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

phosphoric acid (CAS 7664-38-2) High priority

Food and Drug Administration (FDA) Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Classified hazard categories Corrosive to metal
Acute toxicity (any route of exposure)
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
hydrochloric acid	7647-01-0	5000	500		

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
ammonium bifluoride	1341-49-7	1 - 5
hydrochloric acid	7647-01-0	1 - 5

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

ammonium bifluoride (CAS 1341-49-7)
hydrochloric acid (CAS 7647-01-0)
phosphoric acid (CAS 7664-38-2)

US. Massachusetts RTK - Substance List

ammonium bifluoride (CAS 1341-49-7)
hydrochloric acid (CAS 7647-01-0)
phosphoric acid (CAS 7664-38-2)

US. Pennsylvania Worker and Community Right-to-Know Law

ammonium bifluoride (CAS 1341-49-7)
hydrochloric acid (CAS 7647-01-0)
phosphoric acid (CAS 7664-38-2)

US. Rhode Island RTK

ammonium bifluoride (CAS 1341-49-7)
hydrochloric acid (CAS 7647-01-0)
phosphoric acid (CAS 7664-38-2)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

hydrochloric acid (CAS 7647-01-0)

phosphoric acid (CAS 7664-38-2)

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR 51.100(s)) < 0.5 %

Consumer products (40 CFR 59, Subpt. C) Not regulated

State

Consumer products Not regulated

VOC content (CA) < 0.5 %

VOC content (OTC) < 0.5 %

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 06-11-2015
Revision date 11-08-2018
Prepared by Allison Yoon
Version # 03

Disclaimer The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc..

Revision information Product and Company Identification: Product Codes
Hazard(s) identification: Hazard statement
Composition / Information on Ingredients: Ingredients
Composition/information on ingredients: Component information
Handling and storage: Precautions for safe handling
Physical & Chemical Properties: Multiple Properties
Physical and chemical properties: Oxidizing properties
Physical and chemical properties: Explosive properties
Toxicological Information: Toxicological Data
Toxicological information: Inhalation
Transport Information: Proper Shipping Name/Packing Group
Regulatory information: California Proposition 65
Other information, including date of preparation or last revision: Disclaimer
GHS: Classification