

**Safety data sheet**  
**according to 1907/2006/EC (REACH),**  
**1272/2008/EC (CLP), and GHS**

Revision: 08.01.2014

### 1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Greased Lightning 4000 Fuel System Treatment**
- **Application of the substance / the preparation** Product Component
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
 Amalie Oil Coompany  
 1601 McCloskey Boulevard  
 Tampa, FL 33605  
 Phone: 813-248-1988  
 Technical or Further Information: 1-800-368-1264
- **1.4 Emergency telephone number:**  
 ChemTel Inc.  
 (800)255-3924, +1 (813)248-0585

### 2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.
- **Information concerning particular hazards for human and environment:**  
 The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**  
 The classification is according to the latest editions of the EU-lists, and extended by company and literature data.  
 The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.
- **2.2 Label elements**
- **Labeling according to Regulation (EC) No 1272/2008**  
 The product is classified and labeled according to the CLP regulation.

(Contd. on page 2)

**Safety data sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Revision: 08.01.2014

Trade name: Greased Lightning 4000 Fuel System Treatment

(Contd. of page 1)

- **Hazard pictograms**



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Distillates (petroleum), hydrotreated light naphthenic

- **Hazard statements**

H304 May be fatal if swallowed and enters airways.

- **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Hazard description:**

- **WHMIS-symbols:** Not hazardous under WHMIS.

- **HMIS Long Term Health Hazard Substances**

None of the ingredients is listed.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 64742-53-6

EINECS: 265-156-6

Index number: 649-466-00-2

Distillates (petroleum), hydrotreated light naphthenic

Xn R65

Carc. Cat. 2

Asp. Tox. 1, H304

85%

- **Additional information:**

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This product meets these requirements.

(Contd. on page 3)

**Safety data sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Revision: 08.01.2014

**Trade name: Greased Lightning 4000 Fuel System Treatment**

For the wording of the listed risk phrases refer to section 16.

(Contd. of page 2)

#### 4 First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:**  
Supply fresh air; consult doctor in case of complaints.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Protect unharmed eye.  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Coughing  
Breathing difficulty
- **Hazards**  
Danger of pneumonia.  
Danger of pulmonary oedema.  
Danger of impaired breathing.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
If swallowed, gastric irrigation with added, activated carbon.  
If swallowed or in case of vomiting, danger of entering the lungs.  
If necessary oxygen respiration treatment.  
Later observation for pneumonia and pulmonary oedema.

#### 5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Carbon dioxide  
Water haze or fog  
Foam  
Fire-extinguishing powder
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide (CO)  
Under certain fire conditions, traces of other toxic gases cannot be excluded.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.

(Contd. on page 4)

**Safety data sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Revision: 08.01.2014

**Trade name: Greased Lightning 4000 Fuel System Treatment**

Wear fully protective suit.

(Contd. of page 3)

## 6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation

Wear protective clothing.

- **6.2 Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

- **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Do not flush with water or aqueous cleansing agents

- **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- **7.1 Precautions for safe handling**

Prevent formation of aerosols.

Use only in well ventilated areas.

Avoid the formation of oil haze.

- **Information about fire - and explosion protection:** No special measures required.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Provide ventilation for receptacles.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidizing agents.

Store away from water.

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

- **7.3 Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

(Contd. on page 5)

**Safety data sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Revision: 08.01.2014

Trade name: Greased Lightning 4000 Fuel System Treatment

(Contd. of page 4)

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
 The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
 The usual precautionary measures are to be adhered to when handling chemicals.  
 Wash hands before breaks and at the end of work.  
 Do not inhale gases / fumes / aerosols.  
 Avoid close or long term contact with the skin.  
 Avoid contact with the eyes.
- **Respiratory protection:**  
 Not necessary if room is well-ventilated.  
 Use suitable respiratory protective device in case of insufficient ventilation.  
 Use suitable respiratory protective device when aerosol or mist is formed.
- **Protection of hands:**



Protective gloves

Oil resistant gloves

- **Material of gloves**  
 Nitrile rubber, NBR  
 Neoprene gloves  
 Butyl rubber, BR
- **Eye protection:**



Safety glasses

- **Body protection:** Protective work clothing

## 9 Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Oily
<b>Colour:</b>	Amber coloured
<b>Odour:</b>	Petroleum-like
<b>Odour threshold:</b>	Not determined.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC (REACH),  
1272/2008/EC (CLP), and GHS

Revision: 08.01.2014

Trade name: Greased Lightning 4000 Fuel System Treatment

(Contd. of page 5)

· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	116°C (240,8°F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20°C:	0,85 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	> 2 log POW (Estimate)
· Viscosity:	
Viscosity Index:	51
Kinematic at 40°C:	6,6 cSt (1,9 cSt @ 100°C)
· Solvent content:	
Organic solvents:	0,0 %
· 9.2 Other information	No further relevant information available.

## 10 Stability and reactivity

- 10.1 Reactivity
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts violently with oxidizing agents.
- **10.4 Conditions to avoid** Store away from oxidizing agents.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 7)

**Safety data sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Revision: 08.01.2014

**Trade name: Greased Lightning 4000 Fuel System Treatment**

(Contd. of page 6)

· **10.6 Hazardous decomposition products:**

Carbon monoxide and carbon dioxide  
 Possible in traces.  
 Sulphur oxides (SO<sub>x</sub>)  
 Nitrogen oxides (NO<sub>x</sub>)

## 11 Toxicological information

· **11.1 Information on toxicological effects**

- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Slight irritant effect on skin and mucous membranes.
- **on the eye:** Slight irritant effect on eyes.
- **Sensitization:** Sensitizing effect by skin contact is possible by prolonged exposure.

## 12 Ecological information

· **12.1 Toxicity**

- **Aquatic toxicity:** The material is harmful to the environment.
- **12.2 Persistence and degradability** Not easily biodegradable
- **12.3 Bioaccumulative potential** May be accumulated in organism
- **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

The material is harmful to the environment.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Can be reused after reprocessing.

Delivery of waste oil to officially authorized collectors only.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

**Safety data sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Revision: 08.01.2014

Trade name: Greased Lightning 4000 Fuel System Treatment

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- |   |                 |
|---|-----------------|
| · <b>14.1 UN-Number</b>   |                 |
| · DOT, ADN, IMDG, IATA  | N/A             |
| · <b>14.2 UN proper shipping name</b>   |                 |
| · DOT, ADR, ADN, IMDG, IATA   | N/A             |
| · <b>14.3 Transport hazard class(es)</b>  |                 |
| · DOT, ADR, ADN, IMDG, IATA   |                 |
| · Class   | N/A             |
| · <b>14.4 Packing group</b>   |                 |
| · DOT, ADR, IMDG, IATA  | N/A             |
| · <b>14.5 Environmental hazards:</b>  |                 |
| · Marine pollutant:   | No              |
| · <b>14.6 Special precautions for user</b>  | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>   | -               |

**15 Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65 (California):**· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

(Contd. on page 9)

**Safety data sheet**  
 according to 1907/2006/EC (REACH),  
 1272/2008/EC (CLP), and GHS

Revision: 08.01.2014

Trade name: Greased Lightning 4000 Fuel System Treatment

(Contd. of page 8)

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic Categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **Canada**

- **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

- **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

- **Canadian Ingredient Disclosure list (limit 1%)**

Ingredients are listed as required.

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

R65 Harmful: may cause lung damage if swallowed.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 10)

**Safety data sheet**  
according to 1907/2006/EC (REACH),  
1272/2008/EC (CLP), and GHS

Revision: 08.01.2014

**Trade name: Greased Lightning 4000 Fuel System Treatment**

(Contd. of page 9)

NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)

· **Sources**

The manufacturer believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. No warranty of fitness, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or process. Further, since the conditions and methods of use of this product and of the information referred to herein are beyond the control of the manufacturer, the manufacturer expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

This document was authored and reviewed by the technical and scientific staff at ChemTel Inc. Descriptions, classifications and calculations are based upon data provided by manufacturer and augmented by published data in conjunction with expert analysis by degreed scientists.

SDS Prepared by:  
ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)

